

AMENDMENT TO CONTRACT
Unit Price - Electronic Video Surveillance Equipment and Installation
University of Nebraska Agreement - RFP #2307-14-4617
City of Lincoln, Lancaster County and
City of Lincoln-Lancaster County Public Building Commission
Renewal
Inteconnect, Inc., dba Inteconnex

This Amendment is hereby entered into by and between Inteconnect, Inc., dba Inteconnex, 1065 Sierra Ct., NE, Suite A, Cedar Rapids, IA 52402 (hereinafter "Contractor") and City of Lincoln, Lancaster County and the City of Lincoln-Lancaster County Public Building Commission, (hereinafter "Owners"), for the purpose of amending the Contract dated January 22, 2016, executed under City Executive Order No. 88992, and County Contract C-16-0032, dated January 12, 2016, and executed by the City of Lincoln-Lancaster County Public Building Commission, on January 19, 2016, for Electronic Video Surveillance Equipment and Installation, University of Nebraska Agreement - RFP #2307-14-4617, which is made a part hereof by this reference.

WHEREAS, the original term of the Contract is January 22, 2016 through November 30, 2016 with the option to renew for additional one (1) year terms as long as the University of Nebraska Contract remains in effect, not to exceed five (5) years; and

WHEREAS, the Contract was amended by City Executive Order No. 90110, executed by the City on November 22, 2016, and by County Contract C-16-0672, executed by the County Board on November 22, 2016, and executed by the City of Lincoln-Lancaster County Public Building Commission on November 8, 2016, to renew the Contract for an additional one (1) year term from December 1, 2016 through November 30, 2017; and

WHEREAS, the Contract was amended by City Executive Order No. 91327, executed by the City on December 6, 2017, and by County Contract C-17-0929, executed by the County Board on December 5, 2017, and executed by the City of Lincoln-Lancaster County Public Building Commission on December 12, 2017, to renew the Contract for an additional one (1) year term from December 1, 2017 through November 30, 2018; and

WHEREAS, the parties hereby renew the Contract for an additional one (1) year term beginning December 1, 2018 through November 30, 2019; and

WHEREAS, the parties hereby amend the Contract to reflect revised equipment pricing, per Attachment B; and

WHEREAS, the estimated expenditure for the City of Lincoln for the term of this renewal shall not exceed \$250,000.00 during the Contract term without approval by the City of Lincoln; and

WHEREAS, the estimated expenditure for Lancaster County for the term of this renewal shall not exceed \$25,000.00 during the Contract term without approval by the Lancaster County Board of Commissioners; and

WHEREAS, the estimated expenditure for the City of Lincoln-Lancaster County Public Building Commission for the term of this renewal shall not exceed \$30,000.00 during the Contract term without approval by the Public Building Commission; and

NOW, THEREFORE, IN CONSIDERATION of the mutual covenants contained in the Contract, under City Executive Order No. 88992, and County Contract C-16-0032 and stated herein the parties agree as follows:

- 1) The parties hereby renew the Contract for an additional one (1) year term beginning December 1, 2018 through November 30, 2019.
- 2) The parties hereby amend the Contract to reflect revised equipment pricing, per Attachment B.
- 3) The estimated expenditure for the City of Lincoln for the term of this renewal shall not exceed \$250,000.00 during the Contract term without approval by the City of Lincoln.

- 4) The estimated expenditure for Lancaster County for the term of this renewal shall not exceed \$25,000.00 during the Contract term without approval by the Lancaster County Board of Commissioners.
- 5) The estimated expenditure for the City of Lincoln-Lancaster County Public Building Commission for the term of this renewal shall not exceed \$30,000.00 during the Contract term without approval by the Public Building Commission.
- 6) All other terms of the Contract, not in conflict with this Amendment, shall remain in full force and effect.

The Parties do hereby agree to all the terms and conditions of this Amendment. This Amendment shall be binding upon the parties, their heirs, administrators, executors, legal and personal representatives, successors, and assigns.

IN WITNESS WHEREOF, the Parties do hereby execute this Amendment upon completion of signatures on:

Vendor Signature Page

City of Lincoln Signature Page

Lancaster County Signature Page

City of Lincoln-Lancaster County Public Building Commission Signature Page

Vendor Signature Page

AMENDMENT TO CONTRACT
Unit Price - Electronic Video Surveillance Equipment and Installation
University of Nebraska Agreement - RFP #2307-14-4617
City of Lincoln, Lancaster County and
City of Lincoln-Lancaster County Public Building Commission
Renewal
Inteconnect, Inc., dba Inteconnex

Please sign, date and return within 2 days of receipt.

Mail to: City/County Purchasing
 Attn: Lori Irons
 440 So. 8th St., Ste. 200
 Lincoln, NE 68508
 Or email to: liron@lincoln.ne.gov

Company Name:	Inteconnect Inc. D/B/A Inteconnex
By: (Please Sign)	<i>Marcus K Meyer</i>
By: (Please Print)	Marcus K. Meyer
Title:	President
Company Address:	1065 Sierra Court N.E. Ste. A Cedar Rapids, IA 52402
Company Phone & Fax:	319-739-0868 Fax: 319-294-6672
E-Mail Address:	mmeyer@inteconnex.com
Date:	11/13/2018
Contact Person for Service or Orders	Matt Hoeke, Business Development Mgr.; mhoeke@inteconnex.com
Contact Phone Number	402-670-8515

City of Lincoln Signature Page

**AMENDMENT TO CONTRACT
Unit Price - Electronic Video Surveillance Equipment and Installation
University of Nebraska Agreement - RFP #2307-14-4617
City of Lincoln, Lancaster County and
City of Lincoln-Lancaster County Public Building Commission
Renewal
Inteconnect, Inc., dba Inteconnex**

EXECUTION BY THE CITY OF LINCOLN, NEBRASKA

ATTEST:

City Clerk

CITY OF LINCOLN, NEBRASKA

Chris Beutler, Mayor

Approved by Executive Order No. _____

dated _____

Lancaster County Signature Page

**AMENDMENT TO CONTRACT
Unit Price - Electronic Video Surveillance Equipment and Installation
University of Nebraska Agreement - RFP #2307-14-4617
City of Lincoln, Lancaster County and
City of Lincoln-Lancaster County Public Building Commission
Renewal
Inteconnect, Inc., dba Inteconnex**

EXECUTION BY LANCASTER COUNTY, NEBRASKA

Contract Approved as to Form:

The Board of County Commissioners of
Lancaster, Nebraska

Deputy Lancaster County Attorney

Dated: _____

**City of Lincoln-Lancaster County Public Building Commission
Signature Page**

**AMENDMENT TO CONTRACT
Unit Price - Electronic Video Surveillance Equipment and Installation
University of Nebraska Agreement - RFP #2307-14-4617
City of Lincoln, Lancaster County and
City of Lincoln-Lancaster County Public Building Commission
Renewal
Inteconnect, Inc., dba Inteconnex**

EXECUTION BY LINCOLN-LANCASTER COUNTY PUBLIC BUILDING COMMISSION

ATTEST:

Public Building Commission Attorney

Chairperson, Public Building Commission

dated _____

COMMENTARY TO ACCOMPANY CONSTRUCTION BONDS

A. GENERAL INFORMATION

There are two types of construction bonds that are required by statutes for public work in many jurisdictions and are widely used for other projects as well.

Construction Performance Bond

Construction Payment Bond

The Construction Performance Bond is an instrument that is used to assure the availability of funds to complete the construction.

The Construction Payment Bond is an instrument that is used to assure the availability of sufficient funds to pay for labor, materials and equipment used in the construction. For public work the Construction Payment Bond provides rights of recovery for workers and suppliers similar to their rights under the mechanics lien laws applying to private work.

The objective underlying the re-writing of construction bond forms was to make them more understandable to provide guidance to users. The intention was to define the rights and responsibilities of the parties, without changing the traditional rights and responsibilities that have been decided by the courts. The new bond forms provide helpful guidance regarding time periods for various notices and actions and clarify the extent of available remedies.

The concept of pre-default meeting has been incorporated into the Construction Performance Bond. All of the participants favored early and informal resolution of the problems that may precipitate a default, but some Surety companies were reluctant to participate in pre-default settings absent specific authorization in the bond form.

The responsibilities of the Owner and the options available to the Surety when a default occurs are set forth in the Construction Performance Bond. Procedures for making a claim under the Construction Payment Bond are set forth in the form.

EJCDC recommends the use of two separate bonds rather than a combined form. Normally the amount of each bond is 100 percent of the contract amount. The bonds have different purposes and are separate and distinct obligations of the Surety. The Surety Association reports that the usual practice is to charge a single premium for both bonds and there is no reduction in premium for using a combined form or for issuing one bond without the other.

B. COMPLETING THE FORMS

Bonds have important legal consequences; consultation with an attorney and a bond specialist is encouraged with respect to federal, state and local laws applicable to bonds and with respect to completing or modifying the bond forms.

Both bond forms have a similar format and the information to be filled in is ordinarily the same on both bonds. If modification is necessary, the modifications may be different.

The bond forms are prepared for execution by the Contractor and the Surety. Evidence of authority to bind the Surety is usually provided in the form of a power of attorney designating the agent who is authorized to sign on behalf of the Surety. The power of attorney should be filed with the signed bonds.

Each bond must be executed separately since they cover separate and distinct obligations.

Preferably the bond date should be the same date as the contract, but in no case should the bond date precede the date of the contract.

To accompany the Construction Performance Bond (EJCDC No. 1910-28A) and the Construction Payment Bond (EJCDC No. 1910-28B)
Prepared by the Engineers' Joint Contract Documents Committee

CONSTRUCTION PERFORMANCE BOND

Any singular reference to Contractor, Surety, Owner or other party shall be considered plural where applicable.

CONTRACTOR: SURETY (Name and Principal Place of Business):

Inteconnect, Inc.
dba Inteconnex
1065 Sierra Ct., NE.
Suite A
Cedar Rapids, IA 52402

United Fire & Casualty Company
118 Second Avenue SE PO Box 73909
Cedar Rapids IA 52407-3909

Owner:
City of Lincoln,
Lancaster County, and
Lincoln-Lancaster County Public Building Commission
555 South 10th St.
Lincoln, NE 68508

CONSTRUCTION CONTRACT
Date: December 1, 2018 - November 30, 2019
Amount: \$25,000.00


Description:
For all labor, material and equipment necessary for Unit Price Contract - Electronic Video Surveillance Equipment & Installation, UNL Contract No. 2307-14-4617


BOND
Date: December 1, 2018
Amount: \$25,000.00
Modifications to this Bond Form:

CONTRACTOR AS PRINCIPAL SURETY
Company: (Corp. Seal) Company: (Corp. Seal)

Inteconnect, Inc.
dba Inteconnex
1065 Sierra Ct., NE.
Suite A
Cedar Rapids, IA 52402

United Fire & Casualty Company
118 Second Avenue SE PO Box 73909
Cedar Rapids IA 52407-3909

Signature: 
Name and Title: Marcus K. Meyer, President

Signature: 
Name and Title: Cassandra J. Daley - Attorney In Fact

EJCDC NO. 1910-28a (1984 Edition)
Prepared through the joint efforts of The Surety Assoc. of America. Engineers' Joint Contract Documents Committee. The Associated General Contractors of America, and the American Institute of Architects.

1. The Contractor and the Surety, jointly and severally, bind themselves their heirs, executors, administrators, successors and assigns to the Owner for the performance of the Construction Contract, which is incorporated herein by reference.
2. If the Contractor performs the Construction Contract, the Surety and the Contractor shall have no obligation under this Bond, except to participate in conferences as provided in Subparagraph 3.1.
3. If there is no Owner Default, the Surety's obligation under this Bond shall arise after:
 - 3.1 The Owner has notified the Contractor and the Surety at its address described in Paragraph 10 below, that the Owner is considering declaring a Contractor Default and has requested and attempted to arrange a conference with the Contractor and the Surety to be held not later than fifteen days after receipt of such notice to discuss methods of performing the Construction Contract. If the Owner, the Contractor and the Surety agree, the Contractor shall be allowed a reasonable time to perform the Construction Contract, but such an agreement shall not waive the Owner's right, if any, subsequently to declare a Contractor Default and
 - 3.2 The Owner has declared a Contractor Default and formally terminated the Contractor's right to complete the contract. Such Contractor Default shall not be declared earlier than twenty days after the Contractor and the Surety have received notice as provided in Sub-paragraph 3.1; and
 - 3.3 The Owner has agreed to pay the Balance of the Contract Price to the Surety in accordance with the terms of the Construction Contract or to a contractor selected to perform the Construction Contract in accordance with the terms of the contract with the Owner.
4. When the Owner has satisfied the conditions of Paragraph 3, the Surety shall promptly and at the Surety's expense take one of the following actions:
 - 4.1 Arrange for the Contractor, with consent of the Owner, to perform and complete the Construction Contract, or
 - 4.2 Undertake to perform and complete the Construction Contract itself, through its agents or through independent contractors; or
 - 4.3 Obtain bids or negotiated proposals from qualified contractors acceptable to the Owner for a contract for performance and completion of the Construction Contract, arrange for a contract to be prepared for execution by the Owner and the contractor selected with the Owner's concurrence, to be secured with performance and payment bonds executed by a qualified surety equivalent to the bonds issued on the Construction Contract, and pay to the Owner the amount of damages as described in Paragraph 6 in excess of the Balance of the Contract Price incurred by the Owner resulting from the Contractor's default; or
 - 4.4 Waive its right to perform and complete, arrange for completion, or obtain a new contractor and with reasonable promptness under the circumstances:
 1. After investigation, determine the amount for which it may be liable to the Owner and as soon as practicable after the amount is determined tender payment therefor to the Owner; or
 2. Deny liability in whole or in part and notify the Owner citing reasons therefor.
5. If the Surety does not proceed as provided in Paragraph 4 with reasonable promptness, the Surety shall be deemed to be in default on this Bond fifteen days after receipt of an additional written notice from the Owner to the Surety demanding that the Surety perform its obligations under this Bond, and the Owner shall be entitled to enforce any remedy available to the Owner. If the Surety proceeds as provided in Subparagraph 4.4 and the Owner refuses payment tendered or the Surety has denied liability, in whole or in part, without further notice the Owner shall be entitled to enforce any remedy available to the Owner.
6. After the Owner has terminated the Contractor's right to complete the Construction Contract, and if the Surety elects to act under Subparagraph 4.1, 4.2, or 4.3 above, then the responsibilities of the Surety to the Owner shall not be greater than those of the Contractor under the Construction Contract, and the responsibilities of the Owner to the Surety shall not be greater than those of the Owner under the Construction Contract, but subject to commitment by the Owner of the Balance of the Contract Price to mitigation of costs and damages on the Construction Contract, the Surety is obligated without duplication for:
 - 6.1 The responsibilities of the Contractor for correction of defective work and completion of the Construction Contract;
 - 6.2 Additional legal, design professional and delay costs resulting from the Contractor's Default, and resulting from the actions or failure to act of the Surety under Paragraph 4; and
 - 6.3 Liquidated damages, or if no liquidated damages are specified in the Construction Contract, actual damages caused by delayed performance or non-performance of the Contractor.
7. The Surety shall not be liable to the Owner or others for obligations of the Contractor that are unrelated to the Construction Contract, and the Balance of the Contract Price shall not be reduced or set off on account of any such unrelated obligations. No right of action shall accrue on this Bond to any person or entity other than the Owner or its heirs, executors, administrators, or successors.
8. The Surety hereby waives notice of any change, including changes of time, to the Construction Contract or to related sub-contracts, purchase orders and other obligations.
9. Any proceeding, legal or equitable, under this Bond may be instituted in any court of competent jurisdiction in the location in which the work or part of the work is located and shall be instituted within two years after Contractor Default or within two years after the Contractor ceased working or within two years after the Surety refuses or fails to perform its obligations under this Bond, whichever occurs first. If the provisions of this Paragraph are void or prohibited by law, the minimum period of limitation available to sureties as a defense in the jurisdiction of the suit shall be applicable.
10. Notice to the Surety, the Owner or the Contractor shall be mailed or delivered to the address shown on the signature page.
11. When this Bond has been furnished to comply with a statutory or other legal requirement in the location where the construction was to be performed, any provision in this Bond conflicting with said statutory or legal requirement shall be deemed deleted herefrom and provisions conforming to such statutory or other legal requirement shall be deemed incorporated herein. The intent is that this Bond shall be construed as a statutory bond and not as a common law bond.
12. Definitions.
 - 12.1 Balance of the Contract Price: The total amount payable by the Owner to the Contractor under the Construction Contract after all proper adjustments have been made, including allowance to the Contractor of any amounts received or to be received by the Owner in settlement of insurance or other claims for damages to which the Contractor is entitled, reduced by all valid and proper payments made to or on behalf of the Contractor under the Construction Contract.
 - 12.2 Construction Contract: The agreement between the Owner and the Contractor identified on the signature page, including all Contract Documents and changes thereto.
 - 12.3 Contractor Default: Failure of the Contractor, which has neither been remedied nor waived, to perform or otherwise to comply with the terms of the Construction Contract.
 - 12.4 Owner Default: Failure of the Owner, which has neither been remedied nor waived, to pay the Contractor as required by the Construction Contract or to perform and complete or comply with the other terms thereof.

CONSTRUCTION PAYMENT BOND

Any singular reference to Contractor, Surety, Owner or other party shall be considered plural where applicable.

CONTRACTOR:

Inteconnect, Inc.
dba Inteconnex
1065 Sierra Ct., NE.
Suite A
Cedar Rapids, IA 52402

SURETY (Name and Principal Place of Business):

United Fire & Casualty Company
118 Second Avenue SE PO Box 73909
Cedar Rapids IA 52407-3909

Owner:

City of Lincoln,
Lancaster County, and
Lincoln-Lancaster County Public Building Commission
555 South 10th St.
Lincoln, NE 68508

CONSTRUCTION CONTRACT

Date: December 1, 2018 - November 30, 2019

Amount: **\$25,000.00**

Description:

For all labor, material and equipment necessary for Unit Price Contract - Electronic Video Surveillance Equipment & Installation, UNL Contract No. 2307-14-4617

BOND

Date: December 1, 2018

Amount: **\$25,000.00**

Modifications to this Bond Form:

CONTRACTOR AS PRINCIPAL

Company: (Corp. Seal)


SURETY

Company: (Corp. Seal)

Inteconnect, Inc.
dba Inteconnex
1065 Sierra Ct., NE.
Suite A
Cedar Rapids, IA 52402

Signature: 
Name and Title: Marcus K. Meyer, President

United Fire & Casualty Company
118 Second Avenue SE PO Box 73909
Cedar Rapids IA 52407-3909

Signature: 
Name and Title: Cassandra J. Daley - Attorney in Fact

EJCDC NO. 1910-28B (1984 Edition)

Prepared through the joint efforts of The Surety Assoc. of America. Engineers' Joint Contract Documents Committee. The Associated General Contractors of America, and the American Institute of Architects.

1. The Contractor and the Surety, jointly and severally, bind themselves their heirs, executors, administrators, successors and assigns to the Owner to pay for labor, materials and equipment furnished for use in the performance of the Construction Contract, which is incorporated herein by reference.
2. With respect to the Owner, this obligation shall be null and void if the Contractor:
 - 2.1 Promptly makes payment, directly or indirectly, for all sums due Claimants, and
 - 2.2 Defends, indemnifies and holds harmless the Owner from all claims, demands, liens or suits by any person or entity who furnished labor, materials or equipment for use in the performance of the Construction Contract, provided the Owner has promptly notified the Contractor and the Surety (at the address described in Paragraph 12) of any claims, demands, liens or suits and tendered defense of such claims, demands, liens or suits to the Contractor and the Surety, and provided there is no Owner Default.
3. With respect to Claimants, this obligation shall be null and void if the Contractor promptly makes payment, directly or indirectly, for all sums due.
4. The Surety shall have no obligation to Claimants under this Bond until:
 - 4.1 Claimants who do not have a direct contract with the Contractor have given notice to the Surety (at the address described in Paragraph 12) and sent a copy, or notice thereof to the Owner, stating that a claim is being made under this Bond and with substantial accuracy the amount of the claim.
 - 4.2 Claimants who do not have a direct contract with the Contractor:
 1. Have furnished written notice to the Contractor and sent a copy, or notice thereof, to the Owner, within 90 days after having last performed labor or last furnished materials or equipment included in the claim stating, with substantial accuracy, the amount of the claim and the name of the party to whom the materials were furnished or supplied or for whom the labor was done or performed, and
 2. Have either received a rejection in whole or in part from the Contractor, or not received within 30 days of furnishing the above notice any communication from the Contractor by which the Contractor has indicated the claim will be paid directly or indirectly; and
 3. Not having been paid within the above 30 days, have sent a written notice to the Surety (at the address described in Paragraph 12) and sent a copy, or notice thereof, to the Owner, stating that a claim is being made under this Bond and enclosing a copy of the previous written notice furnished to the Contractor.
 - 4.3 If a notice required by Paragraph 4 is given by the Owner to the Contractor or to the Surety, that is sufficient compliance.
5. When the Claimant has satisfied the conditions of Paragraph 4, the Surety shall promptly and at the Surety's expense take the following actions:
 - 6.1 Send an answer to the Claimant, with a copy to the Owner, within 45 days after receipt of the claim, stating the amounts that are undisputed and the basis for challenging any amounts that are disputed.
 - 6.2 Pay or arrange for payment of any undisputed amounts.
7. The Surety's total obligation shall not exceed the amount of this Bond, and the amount of this Bond shall be credited for any payments made in good faith by the Surety.
8. Amounts owed by the Owner to the Contractor under the Construction Contract shall be used for the performance of the Construction Contract and to satisfy claims, if any, under any Construction Performance Bond.

- By the Contractor furnishing and the Owner accepting this Bond, they agree that all funds earned by the Contractor in the performance of the Construction Contract are dedicated to satisfy obligations of the Contractor and the Surety under this Bond, subject to the Owner's priority to the funds for the completion of the work.
9. The Surety shall not be liable to the Owner, Claimants or others for obligations of the Contractor that are unrelated to the Construction Contract. The Owner shall not be liable for payment of any costs or expenses of any Claimant under this Bond, and shall have under this Bond no obligations to make payments to, give notices on behalf of, or otherwise have obligations to Claimants under this Bond.
 10. The Surety hereby waives notice of any change, including changes of time, to the Construction Contract or to related subcontracts, purchase orders and other obligations.
 11. No suite or action shall be commenced by a Claimant under this Bond other than in a court of competent jurisdiction in the location in which the work or part of the work is located or after the expiration of one year from the date (1) on which the Claimant gave the notice required by Subparagraph 4.1 or Clause 4.1 (iii), or (2) on which the last labor or service was performed by anyone or the last materials or equipment were furnished by anyone under the Construction Contract, whichever of (1) or (2) first occurs. If the provisions of this Paragraph are void or prohibited by law, the minimum period of limitation available to sureties as a defense in the jurisdiction of the suit shall be applicable.
 12. Notice to the Surety, the Owner or the Contractor shall be mailed or delivered to the address shown on the signature page. Actual receipt of notice by Surety, the Owner or the Contractor, however accomplished, shall be sufficient compliance as of the date received at the address shown on the signature page.
 13. When this Bond has been furnished to comply with a statutory or other legal requirement in the location where the construction was to be performed, any provision in this Bond conflicting with said statutory or legal requirement shall be deemed deleted here from and provisions conforming to such statutory or other legal requirement shall be deemed incorporated herein. The intent is, that this Bond shall be construed as a statutory bond and not as a common law bond.
 14. Upon request by any person or entity appearing to be a potential beneficiary of this Bond, the Contractor shall promptly furnish a copy of this Bond or shall permit a copy to be made.
 15. DEFINITIONS
 - 15.1 Claimant: An individual or entity having a direct contract with the Contractor or with a subcontractor of the Contractor to furnish labor, materials or equipment for use in the performance of the Contract. The intent of this Bond shall be to include without limitation in the terms "labor, materials, or equipment" that part of water, gas, power, light, heat, oil, gasoline, telephone service or rental equipment used in the Construction Contract, architectural and engineering services required for performance of the work of the Contractor and the Contractor's subcontractors, and all other items for which a mechanic's lien may be asserted in the jurisdiction where the labor, materials or equipment were furnished.
 - 15.2 Construction Contract: The agreement between the Owner and the Contractor identified on the signature page, including all Contract Documents and changes thereto.
 - 15.3 Owner Default: Failure of the Owner, which has neither been remedied nor waived, to pay the Contractor as required by the Construction Contract or to perform and complete or comply with the other terms thereof.

(FOR INFORMATION ONLY - NAME, ADDRESS AND TELEPHONE)
 AGENT OR BROKER: OWNER'S REPRESENTATIVE (ARCHITECT, ENGINEER OR OTHER PARTY)



UNITED FIRE & CASUALTY COMPANY, CEDAR RAPIDS, IA
 UNITED FIRE & INDEMNITY COMPANY, WEBSTER, TX
 FINANCIAL PACIFIC INSURANCE COMPANY, ROCKLIN, CA
 CERTIFIED COPY OF POWER OF ATTORNEY

Inquiries: Surety Department
 118 Second Ave SE
 Cedar Rapids, IA 52401

(original on file at Home Office of Company – See Certification)

KNOW ALL PERSONS BY THESE PRESENTS, That United Fire & Casualty Company, a corporation duly organized and existing under the laws of the State of Iowa; United Fire & Indemnity Company, a corporation duly organized and existing under the laws of the State of Texas; and Financial Pacific Insurance Company, a corporation duly organized and existing under the laws of the State of California (herein collectively called the Companies), and having their corporate headquarters in Cedar Rapids, State of Iowa, does make, constitute and appoint

TIMOTHY J. GASSMANN, KEVIN S. MEASE, CASSANDRA J. DALEY, JENNIFER J. FREYMARK, TRACI A. LYONS, JOAN BONEWITZ, MICHAEL BYL, LORI FRERICH, KATIE MCGLAUN, EACH INDIVIDUALLY

their true and lawful Attorney(s)-in-Fact with power and authority hereby conferred to sign, seal and execute in its behalf all lawful bonds, undertakings and other obligatory instruments of similar nature provided that no single obligation shall exceed \$20,000,000.00 and to bind the Companies thereby as fully and to the same extent as if such instruments were signed by the duly authorized officers of the Companies and all of the acts of said Attorney, pursuant to the authority hereby given and hereby ratified and confirmed.

The Authority hereby granted shall expire the 1st day of January, 2020 unless sooner revoked by United Fire & Casualty Company, United Fire & Indemnity Company, and Financial Pacific Insurance Company.

This Power of Attorney is made and executed pursuant to and by authority of the following bylaw duly adopted on May 15, 2013, by the Boards of Directors of United Fire & Casualty Company, United Fire & Indemnity Company, and Financial Pacific Insurance Company.

“Article VI – Surety Bonds and Undertakings”

Section 2, Appointment of Attorney-in-Fact. “The President or any Vice President, or any other officer of the Companies may, from time to time, appoint by written certificates attorneys-in-fact to act in behalf of the Companies in the execution of policies of insurance, bonds, undertakings and other obligatory instruments of like nature. The signature of any officer authorized hereby, and the Corporate seal, may be affixed by facsimile to any power of attorney or special power of attorney or certification of either authorized hereby; such signature and seal, when so used, being adopted by the Companies as the original signature of such officer and the original seal of the Companies, to be valid and binding upon the Companies with the same force and effect as though manually affixed. Such attorneys-in-fact, subject to the limitations set forth in their respective certificates of authority shall have full power to bind the Companies by their signature and execution of any such instruments and to attach the seal the Companies thereto. The President or any Vice President, the Board of Directors or any other officer of the Companies may at any time revoke all power and authority previously given to any attorney-in-fact.

IN WITNESS WHEREOF, the COMPANIES have each caused these presents to be signed by its vice president and its corporate seal to be hereto affixed this 1st day of January, 2018



UNITED FIRE & CASUALTY COMPANY
 UNITED FIRE & INDEMNITY COMPANY
 FINANCIAL PACIFIC INSURANCE COMPANY

By: *Dennis J. Richmann*
 Vice President

State of Iowa, County of Linn, ss:

On 1st day of January, 2018, before me personally came Dennis J. Richmann to me known, who being by me duly sworn, did depose and say; that he resides in Cedar Rapids, State of Iowa; that he is a Vice President of United Fire & Casualty Company, a Vice President of United Fire & Indemnity Company, and a Vice President of Financial Pacific Insurance Company the corporations described in and which executed the above instrument; that he knows the seal of said corporations; that the seal affixed to the said instrument is such corporate seal; that it was so affixed pursuant to authority given by the Board of Directors of said corporations and that he signed his name thereto pursuant to like authority, and acknowledges same to be the act and deed of said corporations.



Patti Waddell
 Notary Public
 My commission expires: 10/26/2019

I, Mary A. Bertsch, Assistant Secretary of United Fire & Casualty Company and Assistant Secretary of United Fire & Indemnity Company, and Assistant Secretary of Financial Pacific Insurance Company, do hereby certify that I have compared the foregoing copy of the Power of Attorney and affidavit, and the copy of the Section of the bylaws and resolutions of said Corporations as set forth in said Power of Attorney, with the ORIGINALS ON FILE IN THE HOME OFFICE OF SAID CORPORATIONS, and that the same are correct transcripts thereof, and of the whole of the said originals, and that the said Power of Attorney has not been revoked and is now in full force and effect.

In testimony whereof I have hereunto subscribed my name and affixed the corporate seal of the said Corporations this 1st day of December, 20 18.



By: *Mary A. Bertsch*
 Assistant Secretary,
 UF&C & UF&I & FPIC

Certified Statement Pursuant to Neb. Rev. Stat. § 77-1323

§ 77-1323 Every person, partnership, limited liability company, association, or corporation furnishing labor or material in the repair, alteration, improvement, erection, or construction of any public improvement shall furnish a certified statement to be attached to the contract that all equipment to be used on the project, except that acquired since the assessment date, has been assessed for taxation for the current year, giving the county where assessed.

Pursuant to Neb. Rev. Stat. § 77-1323, I, Marcus K. Meyer, do hereby certify that all equipment to be used on Unit Price Contract - Electronic Video Surveillance Equipment & Installation, except that equipment acquired since the assessment date, has been assessed for taxation for the current year, in Douglas County, Nebraska.

DATED this 13th day of November, 2018.

By: Marcus K Meyer

Title: President

STATE OF ~~NEBRASKA~~ IOWA)
)
)ss.
COUNTY OF LINN)

On NOV. 13TH, 2018, before me, the undersigned Notary Public duly commissioned for and qualified in said County, personally came MARCUS MEYER, to me known to be the identical person, whose name is affixed to the foregoing Instrument and acknowledged the execution thereof to be his voluntary act and deed.

Witness my hand and notarial seal the day and year last above written.

[Signature]

Notary Public

(SEAL)



11/5/2018

Inteconnect Inc.
Attn: Marc Meyer
1425 60th Street N.E. Suite 100
Cedar Rapids, IA 52402

Reference: RFP# 2307-14-4617 Security Camera Equipment Prime Supplier Contract

Dear Mr. Meyer;

The purpose of this letter is to inform you the University of Nebraska-Lincoln desires to extend the above referenced contract with Inteconnect Inc. for one additional year. The extended contract period would be 12/1/2018 through 11/30/2019. The University of Nebraska-Lincoln expects all contracted products, pricing, terms, conditions, and all incorporated documents as set forth and referenced in UNL RFP# 2307-14-4617 to remain in effect.

Please make all necessary arrangements to insure that your Certificate of Liability Insurance is current and will remain in effect throughout the extended contract period. A copy of your updated Certificate of Insurance should be sent to my attention. The following sentence must be on the certificate and it must be worded in the exact manner: **"The Board of Regents of the University of Nebraska is listed as an additional insured"**.

Your acceptance and concurrence with the above extension will be evidenced by returning this letter with your signature to my attention no later than November 16, 2018.

Thanks for your continued interest in the University of Nebraska. If you have any questions, please contact Senior Sourcing Specialist Dustin Kotik at (402) 472-5881.

Inteconnect, Inc.

Marc Meyer
President

Date

University of Nebraska-Lincoln

Maggie Witt
Director of Procurement Services

Date

c: 2307-14-4617

AVIGILON™

a Motorola Solutions Company



Video Surveillance - MSRP - USD

Global Pricelist effective October 27, 2018

CONFIDENTIAL

The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

Summary of Changes

- Avigilon AI Appliance and accessories
- iDRAC Enterprise Upgrade for NVRs and AI Appliance
- 2nd CPU Kits for NVR4 PRM & STD
- Coax to Ethernet (C2E) Refresh
- Spare Hard Drives for NVRs

Avigilon Control Center 6 High Definition Network Video Management Software

ACC 6 Core HD Network Video Management Software



Avigilon Control Center (ACC) Network Video Management Software (HD NVMS) is standalone software for recording, viewing, and managing Avigilon HD Multi-Megapixel IP cameras, Analog Video Encoders, and 3rd party IP cameras. It is licensed by the number of cameras the system will record. Please visit the Avigilon website (www.avigilon.com) for minimum system requirements and a detailed list of supported 3rd party IP cameras.

ACC HD NVMS is available in three editions; Core, Standard and Enterprise. Please visit the Avigilon Website for a detailed listing of the features available between the editions. Licenses from different editions cannot be combined, but editions can be upgraded using edition upgrade licenses.

ACC 6 licenses cannot be used on systems running ACC 5. ACC 5 licenses may only be used on ACC 6 systems by using sufficient ACC 5-to-6 upgrade licenses. ACC 5-to-6 upgrade licenses are not required for Core edition systems.

ACC 4 systems must be upgraded to ACC 5 before being upgraded to ACC 6. Both upgrades require upgrade licenses.

All ACC software licenses are delivered via email. Please append an "-M" to any software part number required in a CD/DVD format at no additional cost from Avigilon. It will include a printed license sticker. CDs or DVDs may be subject to local duty, taxes or fees.

Model No.	Description	MSRP \$
ACC 6 Core Licenses		
1C-ACC6-COR	ACC 6 Core license for up to 1 camera channels	95.00
4C-ACC6-COR	ACC 6 Core license for up to 4 camera channels	325.00
8C-ACC6-COR	ACC 6 Core license for up to 8 camera channels	645.00
16C-ACC6-COR	ACC 6 Core license for up to 16 camera channels	1,285.00
24C-ACC6-COR	ACC 6 Core license for up to 24 camera channels	1,895.00
ACC 6 Upgrade Licenses - Core to Standard		
1C-ACC6-COR-STD-UPG	ACC 6 upgrade license Core to Standard for 1 camera channel	115.00
4C-ACC6-COR-STD-UPG	ACC 6 upgrade license Core to Standard for 4 camera channels	425.00
8C-ACC6-COR-STD-UPG	ACC 6 upgrade license Core to Standard for 8 camera channels	855.00
16C-ACC6-COR-STD-UPG	ACC 6 upgrade license Core to Standard for 16 camera channels	1,695.00
24C-ACC6-COR-STD-UPG	ACC 6 upgrade license Core to Standard for 24 camera channels	2,550.00
ACC 6 Upgrade Licenses - Core to Enterprise		
1C-ACC6-COR-ENT-UPG	ACC 6 upgrade license Core to Enterprise for 1 camera channel	270.00
4C-ACC6-COR-ENT-UPG	ACC 6 upgrade license Core to Enterprise for 4 camera channels	925.00
8C-ACC6-COR-ENT-UPG	ACC 6 upgrade license Core to Enterprise for 8 camera channels	1,800.00
16C-ACC6-COR-ENT-UPG	ACC 6 upgrade license Core to Enterprise for 16 camera channels	3,550.00
24C-ACC6-COR-ENT-UPG	ACC 6 upgrade license Core to Enterprise for 24 camera channels	5,300.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Avigilon Control Center 6 High Definition Network Video Management Software

ACC 6 Standard HD Network Video Management Software

Model No.	Description	MSRP \$
ACC 6 Standard Licenses		
1C-ACC6-STD	ACC 6 Standard license for up to 1 camera channels	185.00
4C-ACC6-STD	ACC 6 Standard license for up to 4 camera channels	665.00
8C-ACC6-STD	ACC 6 Standard license for up to 8 camera channels	1,325.00
16C-ACC6-STD	ACC 6 Standard license for up to 16 camera channels	2,645.00
24C-ACC6-STD	ACC 6 Standard license for up to 24 camera channels	3,955.00
ACC 6 Upgrade Licenses - Standard to Enterprise		
1C-ACC6-STD-ENT-UPG	ACC 6 upgrade license Standard to Enterprise for 1 camera channel	215.00
4C-ACC6-STD-ENT-UPG	ACC 6 upgrade license Standard to Enterprise for 4 camera channels	715.00
8C-ACC6-STD-ENT-UPG	ACC 6 upgrade license Standard to Enterprise for 8 camera channels	1,420.00
16C-ACC6-STD-ENT-UPG	ACC 6 upgrade license Standard to Enterprise for 16 camera channels	2,845.00
24C-ACC6-STD-ENT-UPG	ACC 6 upgrade license Standard to Enterprise for 24 camera channels	4,245.00

ACC 6 Standard Edition Upgrade from ACC 5

Model No.	Description	MSRP \$
1C-ACC5-ACC6-STD-UPG	ACC 5 to ACC 6 Standard version upgrade for 1 camera channel	15.00
4C-ACC5-ACC6-STD-UPG	ACC 5 to ACC 6 Standard version upgrade for up to 4 camera channels	55.00
8C-ACC5-ACC6-STD-UPG	ACC 5 to ACC 6 Standard version upgrade for up to 8 camera channels	105.00
16C-ACC5-ACC6-STD-UPG	ACC 5 to ACC 6 Standard version upgrade for up to 16 camera channels	190.00
24C-ACC5-ACC6-STD-UPG	ACC 5 to ACC 6 Standard version upgrade for up to 24 camera channels	240.00

ACC 6 Enterprise HD Network Video Management Software

Model No.	Description	MSRP \$
1C-ACC6-ENT	ACC 6 Enterprise license for up to 1 camera channels	335.00
4C-ACC6-ENT	ACC 6 Enterprise license for up to 4 camera channels	1,155.00
8C-ACC6-ENT	ACC 6 Enterprise license for up to 8 camera channels	2,290.00
16C-ACC6-ENT	ACC 6 Enterprise license for up to 16 camera channels	4,495.00
24C-ACC6-ENT	ACC 6 Enterprise license for up to 24 camera channels	6,695.00
48C-ACC6-ENT	ACC 6 Enterprise license for up to 48 camera channels	13,345.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Avigilon Control Center 6 High Definition Network Video Management Software

ACC 6 Enterprise Edition Upgrade from ACC 5

Model No.	Description	MSRP \$
1C-ACC5-ACC6-ENT-UPG	ACC 5 to ACC 6 Enterprise version upgrade for 1 camera channel	30.00
4C-ACC5-ACC6-ENT-UPG	ACC 5 to ACC 6 Enterprise version upgrade for up to 4 camera channels	105.00
8C-ACC5-ACC6-ENT-UPG	ACC 5 to ACC 6 Enterprise version upgrade for up to 8 camera channels	205.00
16C-ACC5-ACC6-ENT-UPG	ACC 5 to ACC 6 Enterprise version upgrade for up to 16 camera channels	385.00
24C-ACC5-ACC6-ENT-UPG	ACC 5 to ACC 6 Enterprise version upgrade for up to 24 camera channels	530.00
48C-ACC5-ACC6-ENT-UPG	ACC 5 to ACC 6 Enterprise version upgrade for up to 48 camera channels	960.00

ACC 6 Enterprise Failover Licenses

Model No.	Description	MSRP \$
1C-ACC6-ENT-FO	ACC 6 Enterprise Failover license for 1 camera	45.00
4C-ACC6-ENT-FO	ACC 6 Enterprise Failover license for up to 4 cameras	175.00
8C-ACC6-ENT-FO	ACC 6 Enterprise Failover license for up to 8 cameras	345.00
16C-ACC6-ENT-FO	ACC 6 Enterprise Failover license for up to 16 cameras	685.00
24C-ACC6-ENT-FO	ACC 6 Enterprise Failover license for up to 24 cameras	995.00
48C-ACC6-ENT-FO	ACC 6 Enterprise Failover license for up to 48 cameras	1,985.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Avigilon Control Center (ACC) 6: SDK (Software Development Kit), 3rd Party Integration Licensing, and POS (Point of Sale) Transaction Engine

All Avigilon Control Center 3rd party integration licenses listed below require Enterprise HD NVMS. Licensing is not required for end customers to run a custom or 3rd party developed integration.

All ACC software licenses are delivered via email. Please append an "-M" to any software part number required in a CD/DVD format at no additional cost from Avigilon. It will include a printed license sticker. CDs or DVDs may be subject to local duty, taxes or fees.

Avigilon Control Center Point of Sale (POS) Transaction Engine Licensing

Model No.	Description	MSRP \$
ACC6-POS-1STR	ACC 6 POS Transaction SW license for recording a single stream of transaction details . Compatible with Enterprise and Standard only.	225.00

POS Serial Servers and Avigilon Control Center SDK Developer License

Model No.	Description	MSRP \$
ACC-POS-HW-2S	2 port serial server to allow two streams of RS232 serial transaction information to be converted and transmitted over the network to an Avigilon Control Center server .	513.00
ACC-SDK-DEV	Grants access to the Avigilon SDK Developer's Portal, and the Avigilon Control Center SDK.	3,500.00

Amag Symmetry Integration License - ACC 6 only

Model No.	Description	MSRP \$
ACC6-AMAG-SMTRY	Amag Symmetry Integration Module for a site. Enables event and video integration between Amag Symmetry and an Avigilon Control Center site.	2,500.00

Gallagher Integration License - ACC 6 only

Model No.	Description	MSRP \$
ACC6-GLGR-CMNDC	Gallagher (Formerly Cardax) Integration Module for a site. Enables bi-directional event and video integration between Gallagher Command Center and an Avigilon Control Center site .	2,500.00

Hirsch Velocity Integration License - ACC 6 only

Model No.	Description	MSRP \$
ACC6-HRSH-VLCTY	Hirsch Velocity Integration Module for a site . Enables alarm integration from Hirsch Velocity to an Avigilon Control Center site.	2,500.00

Interlogix Forcefield Integration License - ACC 6 only

Model No.	Description	MSRP \$
ACC6-INTX-FORCE	Interlogix Forcefield Integration Module for a site. Enables video and event integration to Interlogix Forcefield from an Avigilon Control Center site .	2,500.00

Jacques Integration License - ACC 6 only

Model No.	Description	MSRP \$
ACC6-JAQS-INTCM	Jacques Integration Module for a site. Enables bi-directional event integration between Jacques VoIP Voice Communication System and an Avigilon Control Center site .	2,500.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Avigilon Control Center (ACC) 6: SDK (Software Development Kit), 3rd Party Integration Licensing, and POS (Point of Sale) Transaction Engine

All Avigilon Control Center 3rd party integration licenses listed below require Enterprise HD NVMS. Licensing is not required for end customers to run a custom or 3rd party developed integration.

All ACC software licenses are delivered via email. Please append an "-M" to any software part number required in a CD/DVD format at no additional cost from Avigilon. It will include a printed license sticker. CDs or DVDs may be subject to local duty, taxes or fees.

Lenel OnGuard Integration License - ACC 6 only

Model No.	Description	MSRP \$
ACC6-LENL-ONGRD	OAAP Certified Lenel OnGuard Integration Module for a site. Enables event and video integration between Lenel OnGuard and an Avigilon Control Center site.	2,500.00

Software House Integration License - ACC 6 only

Model No.	Description	MSRP \$
ACC6-SWHS-CCURE	Software House CCURE 9000 Integration Module for a site. Enables video integration between Software House CCURE 9000 and an Avigilon Control Center site.	2,500.00

Paxton Net2 Integration License - ACC 6 only

Model No.	Description	MSRP \$
ACC6-PXTN-NET2	Paxton Net2 Integration Module for a site. Enables event and video integration between Paxton Net2 and an Avigilon Control Center site.	2,500.00

S2 Net Box Integration License - ACC 6 only

Model No.	Description	MSRP \$
ACC6-S2-NETBX	S2 NetBox Integration Module for a site. Enables video integration between S2 NetBox and an Avigilon Control Center site.	2,500.00

Stentofon (Zenitel) Integration License - ACC 6 only

Model No.	Description	MSRP \$
ACC6-STFN-ALPHA	Stentofon AlphaCom Integration Module for a site. Enables bi-directional event integration between Stentofon AlphaCom and an Avigilon Control Center site.	2,500.00

SDK (Software Development Kit)

Any integration developed and maintained by a 3rd party is available on ACC 6 Standard edition

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Avigilon Control Center 5 High Definition Network Video Management Software

ACC 5 Core HD Network Video Management Software



ACC 5 HD NVMS (Network Video Management Software) is stand alone software for recording, viewing, and managing Avigilon HD Multi-Megapixel IP cameras, Analog Video Encoders, and 3rd party IP cameras. It is licensed by the number of cameras the system will record. Please visit the Avigilon website (www.avigilon.com) for minimum system requirements and a detailed list of supported 3rd party IP cameras.

ACC HD NVMS is available in three editions Core, Standard and Enterprise. Please visit the Avigilon Website for a detailed listing of the features available between the editions. Licenses from different editions cannot be combined. With the exception of ACC 4-to-5 upgrade licenses, ACC 5 licenses cannot be used on systems running ACC 4.

All ACC software licenses are delivered via email. Please append an “-M” to any software part number required in a CD/DVD format at no additional cost from Avigilon. It will include a printed license sticker. CDs or DVDs may be subject to local duty, taxes or fees.

Model No.	Description	MSRP \$
ACC 5 Core Licenses		
1C-ACC5-COR	ACC 5 Core license for up to 1 camera channels and 2 viewing clients	95.00
4C-ACC5-COR	ACC 5 Core license for up to 4 camera channels and 2 viewing clients	325.00
8C-ACC5-COR	ACC 5 Core license for up to 8 camera channels and 2 viewing clients	645.00
16C-ACC5-COR	ACC 5 Core license for up to 16 camera channels and 2 viewing clients	1,285.00
24C-ACC5-COR	ACC 5 Core license for up to 24 camera channels and 2 viewing clients	1,895.00
ACC 5 Upgrade Licenses - Core to Standard		
1C-ACC5-COR-STD-UPG	ACC 5 upgrade license Core to Standard for 1 camera channel	115.00
4C-ACC5-COR-STD-UPG	ACC 5 upgrade license Core to Standard for 4 camera channels	425.00
8C-ACC5-COR-STD-UPG	ACC 5 upgrade license Core to Standard for 8 camera channels	855.00
16C-ACC5-COR-STD-UPG	ACC 5 upgrade license Core to Standard for 16 camera channels	1,695.00
24C-ACC5-COR-STD-UPG	ACC 5 upgrade license Core to Standard for 24 camera channels	2,550.00
ACC 5 Upgrade Licenses - Core to Enterprise		
1C-ACC5-COR-ENT-UPG	ACC 5 upgrade license Core to Enterprise for 1 camera channel	270.00
4C-ACC5-COR-ENT-UPG	ACC 5 upgrade license Core to Enterprise for 4 camera channels	925.00
8C-ACC5-COR-ENT-UPG	ACC 5 upgrade license Core to Enterprise for 8 camera channels	1,800.00
16C-ACC5-COR-ENT-UPG	ACC 5 upgrade license Core to Enterprise for 16 camera channels	3,550.00
24C-ACC5-COR-ENT-UPG	ACC 5 upgrade license Core to Enterprise for 24 camera channels	5,300.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Avigilon Control Center 5 High Definition Network Video Management Software

ACC 5 Standard HD Network Video Management Software

Model No.	Description	MSRP \$
ACC 5 Standard Licenses		
1C-ACC5-STD	ACC 5 Standard license for up to 1 camera channels and 5 viewing clients	185.00
4C-ACC5-STD	ACC 5 Standard license for up to 4 camera channels and 5 viewing clients	665.00
8C-ACC5-STD	ACC 5 Standard license for up to 8 camera channels and 5 viewing clients	1,325.00
16C-ACC5-STD	ACC 5 Standard license for up to 16 camera channels and 5 viewing clients	2,645.00
24C-ACC5-STD	ACC 5 Standard license for up to 24 camera channels and 5 viewing clients	3,955.00
ACC 5 Upgrade Licenses - Standard to Enterprise		
1C-ACC5-STD-ENT-UPG	ACC 5 upgrade license Standard to Enterprise for 1 camera channels	215.00
4C-ACC5-STD-ENT-UPG	ACC 5 upgrade license Standard to Enterprise for 4 camera channels	715.00
8C-ACC5-STD-ENT-UPG	ACC 5 upgrade license Standard to Enterprise for 8 camera channels	1,420.00
16C-ACC5-STD-ENT-UPG	ACC 5 upgrade license Standard to Enterprise for 16 camera channels	2,845.00
24C-ACC5-STD-ENT-UPG	ACC 5 upgrade license Standard to Enterprise for 24 camera channels	4,245.00

ACC 5 Enterprise HD Network Video Management Software

Model No.	Description	MSRP \$
1C-ACC5-ENT	ACC 5 Enterprise license for up to 1 camera channels and unlimited viewing clients	335.00
4C-ACC5-ENT	ACC 5 Enterprise license for up to 4 camera channels and unlimited viewing clients	1,155.00
8C-ACC5-ENT	ACC 5 Enterprise license for up to 8 camera channels and unlimited viewing clients	2,290.00
16C-ACC5-ENT	ACC 5 Enterprise license for up to 16 camera channels and unlimited viewing clients	4,495.00
24C-ACC5-ENT	ACC 5 Enterprise license for up to 24 camera channels and unlimited viewing clients	6,695.00

ACC 5 Edition Upgrade From ACC 4

Model No.	Description	MSRP \$
ACC5-4TO5-COR-UPG	ACC 5 upgrade license for one ACC 4 Core server	95.00
ACC5-4TO5-STD-UPG	ACC 5 upgrade license for one ACC 4 Standard server	185.00
ACC5-4TO5-ENT-UPG	ACC 5 upgrade license for one ACC 4 Enterprise server	335.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Avigilon Control Center: SDK (Software Development Kit), 3rd Party Integration Licensing, and POS (Point of Sale) Transaction Engine

All Avigilon Control Center 5 3rd party integration licenses listed below require Enterprise HD NVMS. Licensing is no longer required for end customers to run a custom or 3rd party developed integration.

All ACC software licenses are delivered via email. Please append an "-M" to any software part number required in a CD/DVD format at no additional cost from Avigilon. It will include a printed license sticker. CDs or DVDs may be subject to local duty, taxes or fees.

Avigilon Control Center Point of Sale (POS) Transaction Engine Licensing

Model No.	Description	MSRP \$
ACC5-POS-1STR	ACC 5 POS Transaction SW license for recording a single stream of transaction details .	225.00

POS Serial Servers and Avigilon Control Center SDK Developer License

Model No.	Description	MSRP \$
ACC-POS-HW-2S	2 port serial server to allow two streams of RS232 serial transaction information to be converted and transmitted over the network to an Avigilon Control Center server .	513.00
ACC-SDK-DEV	Grants access to the Avigilon SDK Developer's Portal, and the Avigilon Control Center SDK.	3,500.00

Amag Symmetry Integration License - ACC 5 only

Model No.	Description	MSRP \$
ACC5-AMAG-SMTRY	Amag Symmetry Integration Module for a site. Enables event and video integration between Amag Symmetry and an Avigilon Control Center site .	2,500.00

Gallagher Integration License - ACC 5 only

Model No.	Description	MSRP \$
ACC5-GLGR-CMNDC	Gallagher (Formerly Cardax) Integration Module for a site. Enables bi-directional event and video integration between Gallagher Command Center and an Avigilon Control Center site .	2,500.00

Lenel Facility Commander Wnx Integration License - ACC 5 only

Model No.	Description	MSRP \$
ACC5-LENL-FCWNX	Lenel Facility Commander Wnx Integration Module for a site. Enables bi-directional event integration between Facility Commander Wnx and an Avigilon Control Center site .	2,500.00

Lenel OnGuard Integration License - ACC 5 only

Model No.	Description	MSRP \$
ACC5-LENL-ONGRD	OAAP Certified Lenel OnGuard Integration Module for a site. Enables event and video integration between Lenel OnGuard and an Avigilon Control Center site .	2,500.00

Hirsch Velocity Integration License - ACC 5 only

Model No.	Description	MSRP \$
ACC5-HRSH-VLCTY	Hirsch Velocity Integration Module for a site . Enables alarm integration from Hirsch Velocity to an Avigilon Control Center site.	2,500.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Avigilon Control Center: SDK (Software Development Kit), 3rd Party Integration Licensing, and POS (Point of Sale) Transaction Engine

All Avigilon Control Center 5 3rd party integration licenses listed below require Enterprise HD NVMS. Licensing is no longer required for end customers to run a custom or 3rd party developed integration.

All ACC software licenses are delivered via email. Please append an "-M" to any software part number required in a CD/DVD format at no additional cost from Avigilon. It will include a printed license sticker. CDs or DVDs may be subject to local duty, taxes or fees.

Interlogix Forcefield Integration License - ACC 5 only

Model No.	Description	MSRP \$
ACC5-INTX-FORCE	Interlogix Forcefield Integration Module for a site. Enables video and event integration to Interlogix Forcefield from an Avigilon Control Center site.	2,500.00

Jacques Integration License - ACC 5 only

Model No.	Description	MSRP \$
ACC5-JAQS-INTCM	Jacques Integration Module for a site. Enables bi-directional event integration between Jacques VoIP Voice Communication System and an Avigilon Control Center site.	2,500.00

Paxton Net2 Integration License - ACC 5 only

Model No.	Description	MSRP \$
ACC5-PXTN-NET2	Paxton Net2 Integration Module for a site. Enables event and video integration between Paxton Net2 and an Avigilon Control Center site.	2,500.00

S2 Net Box Integration License - ACC 5 only

Model No.	Description	MSRP \$
ACC5-S2-NETBX	S2 NetBox Integration Module for a site. Enables video integration between S2 NetBox and an Avigilon Control Center site.	2,500.00

Software House Integration License - ACC 5 only

Model No.	Description	MSRP \$
ACC5-SWHS-CCURE	Software House CCURE 9000 Integration Module for a site. Enables video integration between Software House CCURE 9000 and an Avigilon Control Center site.	2,500.00

Stentofon (Zenitel) Integration License - ACC 5 only

Model No.	Description	MSRP \$
ACC5-STFN-ALPHA	Stentofon AlphaCom Integration Module for a site. Enables bi-directional event integration between Stentofon AlphaCom and an Avigilon Control Center site.	2,500.00

- SDK (Software Development Kit)

- Any integration developed and maintained by a 3rd party, along with the RS2 AccessIt!, DSX WinDSX, and DDS Amadeus 5 integrations, are now available on ACC 5 Standard Edition.

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

HD Network Video Recorders

4th Generation HD NVR Premium



The Avigilon HD NVR Premium is engineered to provide maximum reliability, availability and scalability for the most demanding enterprise video management environments.

1. Preloaded with and configured for Avigilon Control Center high definition network video management software .

Note: An ACC license is not included and must be purchased separately .

2. Up to 1800 Mbps of total throughput.

3. Supports Appearance Search on up to 100 cameras.

4. High-availability design with hot-swappable components for storage (RAID6) & power supplies (dual); multiple 1GbE and 10GbE network interfaces.

5. Industry-standard 2U rack mount chassis with sliding rails (compatible with square and round hole racks) and cable management arm.

6. Only supports remote viewing by clients, as local video viewing is not supported.

Model No.	Description	MSRP \$
HD-NVR4-PRM-64TB-AU	HD NVR4 PRM 64TB 2U Rack Mnt, Windows Server 2016	31,000.00
HD-NVR4-PRM-64TB-NA	HD NVR4 PRM 64TB 2U Rack Mnt, Windows Server 2016	31,000.00
HD-NVR4-PRM-64TB-UK	HD NVR4 PRM 64TB 2U Rack Mnt, Windows Server 2016	31,000.00
HD-NVR4-PRM-96TB-AU	HD NVR4 PRM 96TB 2U Rack Mnt, Windows Server 2016	36,000.00
HD-NVR4-PRM-96TB-NA	HD NVR4 PRM 96TB 2U Rack Mnt, Windows Server 2016	36,000.00
HD-NVR4-PRM-96TB-UK	HD NVR4 PRM 96TB 2U Rack Mnt, Windows Server 2016	36,000.00
HD-NVR4-PRM-128TB-AU	HD NVR4 PRM 128TB 2U Rack Mnt, Windows Server 2016	47,500.00
HD-NVR4-PRM-128TB-NA	HD NVR4 PRM 128TB 2U Rack Mnt, Windows Server 2016	47,500.00
HD-NVR4-PRM-128TB-UK	HD NVR4 PRM 128TB 2U Rack Mnt, Windows Server 2016	47,500.00
HD-NVR4-PRM-157TB-AU	HD NVR4 PRM 157TB 2U Rack Mnt, Windows Server 2016	58,335.00
HD-NVR4-PRM-157TB-NA	HD NVR4 PRM 157TB 2U Rack Mnt, Windows Server 2016	58,335.00
HD-NVR4-PRM-157TB-UK	HD NVR4 PRM 157TB 2U Rack Mnt, Windows Server 2016	58,335.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

HD Network Video Recorders

4th Generation HD NVR Standard



The Avigilon HD NVR Standard is engineered to provide maximum reliability, availability and scalability for the most demanding enterprise video management environments.

1. Preloaded with and configured for Avigilon Control Center high definition network video management software .

Note: An ACC license is not included and must be purchased separately .

2. Up to 900 Mbps of total throughput.

3. Supports Appearance Search on up to 80 cameras.

4. High-availability design with hot-swappable components for storage (RAID6) & power supplies; multiple 1GbE network interfaces.

5. Industry-standard 2U rack mount chassis with sliding rails (compatible with square and round hole racks) and cable management arm.

6. Only supports remote viewing by clients, as local video viewing is not supported.

Model No.	Description	MSRP \$
HD-NVR4-STD-16TB-AU	HD NVR4 STD 16TB 2U Rack Mnt, Windows 10 IoT LTSB	13,125.00
HD-NVR4-STD-16TB-NA	HD NVR4 STD 16TB 2U Rack Mnt, Windows 10 IoT LTSB	13,125.00
HD-NVR4-STD-16TB-UK	HD NVR4 STD 16TB 2U Rack Mnt, Windows 10 IoT LTSB	13,125.00
HD-NVR4-STD-24TB-AU	HD NVR4 STD 24TB 2U Rack Mnt, Windows 10 IoT LTSB	15,070.00
HD-NVR4-STD-24TB-NA	HD NVR4 STD 24TB 2U Rack Mnt, Windows 10 IoT LTSB	15,070.00
HD-NVR4-STD-24TB-UK	HD NVR4 STD 24TB 2U Rack Mnt, Windows 10 IoT LTSB	15,070.00
HD-NVR4-STD-32TB-AU	HD NVR4 STD 32TB 2U Rack Mnt, Windows 10 IoT LTSB	16,420.00
HD-NVR4-STD-32TB-NA	HD NVR4 STD 32TB 2U Rack Mnt, Windows 10 IoT LTSB	16,420.00
HD-NVR4-STD-32TB-UK	HD NVR4 STD 32TB 2U Rack Mnt, Windows 10 IoT LTSB	16,420.00
HD-NVR4-STD-48TB-AU	HD NVR4 STD 48TB 2U Rack Mnt, Windows 10 IoT LTSB	23,450.00
HD-NVR4-STD-48TB-NA	HD NVR4 STD 48TB 2U Rack Mnt, Windows 10 IoT LTSB	23,450.00
HD-NVR4-STD-48TB-UK	HD NVR4 STD 48TB 2U Rack Mnt, Windows 10 IoT LTSB	23,450.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

HD Network Video Recorders

3rd Generation HD NVR Value



The Avigilon HD NVR Value is engineered to provide up to 384 Mbps of total throughput, offer reliable and highly-available storage, and support complementary streaming & playback for ACC Client (e.g., operating on Avigilon High Performance Remote Monitoring Client Workstations).

1. Preloaded and configured with Avigilon Control Center high definition network video management software .

Note: An ACC license is not included and must be purchased separately .

2. Highly-availability storage (RAID5); dual 1GbE network interfaces.

3. Industry-standard 1U rack mount chassis with sliding rails (compatible with square and round hole racks) and cable management arm.

4. Only supports remote viewing by clients, as local video viewing is not supported.

Model No.	Description	MSRP \$
HD-NVR3-VAL-3TB-AU	HD NVR3 VAL 3TB 1U Rack Mnt, Windows 10 IoT LTSB	3,850.00
HD-NVR3-VAL-3TB-NA	HD NVR3 VAL 3TB 1U Rack Mnt, Windows 10 IoT LTSB	3,850.00
HD-NVR3-VAL-3TB-UK	HD NVR3 VAL 3TB 1U Rack Mnt, Windows 10 IoT LTSB	3,850.00
HD-NVR3-VAL-6TB-AU	HD NVR3 VAL 6TB 1U Rack Mnt, Windows 10 IoT LTSB	4,500.00
HD-NVR3-VAL-6TB-NA	HD NVR3 VAL 6TB 1U Rack Mnt, Windows 10 IoT LTSB	4,500.00
HD-NVR3-VAL-6TB-UK	HD NVR3 VAL 6TB 1U Rack Mnt, Windows 10 IoT LTSB	4,500.00
HD-NVR3-VAL-12TB-AU	HD NVR3 VAL 12TB 1U Rack Mnt, Windows 10 IoT LTSB	5,700.00
HD-NVR3-VAL-12TB-NA	HD NVR3 VAL 12TB 1U Rack Mnt, Windows 10 IoT LTSB	5,700.00
HD-NVR3-VAL-12TB-UK	HD NVR3 VAL 12TB 1U Rack Mnt, Windows 10 IoT LTSB	5,700.00
HD-NVR3-VAL-18TB-AU	HD NVR3 VAL 18TB 1U Rack Mnt, Windows 10 IoT LTSB	7,085.00
HD-NVR3-VAL-18TB-NA	HD NVR3 VAL 18TB 1U Rack Mnt, Windows 10 IoT LTSB	7,085.00
HD-NVR3-VAL-18TB-UK	HD NVR3 VAL 18TB 1U Rack Mnt, Windows 10 IoT LTSB	7,085.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

HD Network Video Recorders

NVR Accessories

Accessories for NVR Products. Be sure to take note of the NVR generation and family. In the absence of a generation in the model number, that part is compatible with all generations.

Model No.	Description	MSRP \$
HD-NVR-ANK2-1	Analytics Kit for Appearance Search software, All NVR3 models	980.00
HD-NVR4-PRM-2NDCPU	2nd CPU + Heatsink, 2x 16GB RAM, NVR4 PRM	3,000.00
HD-NVR4-STD-2NDCPU	2nd CPU + Heatsink, 2x 8GB RAM, NVR4 STD	1,845.00
HD-NVR4-PRM-2NDPS-AU	Power Supply, Hot-Swappable, NVR4 PRM, AU power cord	465.00
HD-NVR4-PRM-2NDPS-NA	Power Supply, Hot-Swappable, NVR4 PRM, NA power cord	465.00
HD-NVR4-PRM-2NDPS-UK	Power Supply, Hot-Swappable, NVR4 PRM, UK power cord	465.00
HD-NVR4-STD-2NDPS-AU	Power Supply, Hot-Swappable, NVR4 STD, AU power cord	465.00
HD-NVR4-STD-2NDPS-NA	Power Supply, Hot-Swappable, NVR4 STD, NA power cord	465.00
HD-NVR4-STD-2NDPS-UK	Power Supply, Hot-Swappable, NVR4 STD, UK power cord	465.00
HD-NVR4-SFPPLUS-DA	SFP+ 10GbE Transceiver at each end of Twinax Direct Attach Copper Cable, 3m	130.00
HD-NVR4-SFPPLUS-SR	SFP+ 10GBASE-SR Optical Transceiver (single)	295.00
HD-NVR4-STD-10GBE	Network Card, DP 10G-SFP+, NVR4 Standard	780.00
IDRAC9-ENT-UPG	IDRAC 9 Enterprise Upgrade for NVR4/AIA	670.00
HD-NVR3-PRM-2NDPS-NA	Power Supply, Hot-Swappable, NVR3 PRM, NA power cord	465.00
HD-NVR3-PRM-2NDPS-AU	Power Supply, Hot-Swappable, NVR3 PRM, AU power cord	465.00
HD-NVR3-PRM-2NDPS-UK	Power Supply, Hot-Swappable, NVR3 PRM, UK power cord	465.00
HD-NVR3-STD-2NDPS-NA	Power Supply, Hot-Swappable, NVR3 STD, NA power cord	465.00
HD-NVR3-STD-2NDPS-AU	Power Supply, Hot-Swappable, NVR3 STD, AU power cord	465.00
HD-NVR3-STD-2NDPS-UK	Power Supply, Hot-Swappable, NVR3 STD, UK power cord	465.00
HD-NVR3-VAL-2NDPS-NA	Power Supply, Hot-Swappable, NVR3 VAL, NA power cord	410.00
HD-NVR3-VAL-2NDPS-AU	Power Supply, Hot-Swappable, NVR3 VAL, AU power cord	410.00
HD-NVR3-VAL-2NDPS-UK	Power Supply, Hot-Swappable, NVR3 VAL, UK power cord	410.00
HD-NVR3-SFPPLUS-DA	SFP+ 10GbE Transceiver at each end of Twinax Direct Attach Copper Cable, 3m	130.00
HD-NVR3-SFPPLUS-SR	SFP+ 10GBASE-SR Optical Transceiver (single)	295.00
HD-NVR3-STD-10GBE	NETWORK CARD, DP 10G-SFP+, NVR3 Standard	780.00
HD-NVR3-PRM-2NDCPU	2nd CPU + Heatsink, 2x 8GB RAM, NVR3 PRM	2,070.00
HD-NVR3-STD-2NDCPU	2nd CPU + Heatsink, 2x 8GB RAM, NVR3 STD	1,845.00
IDRAC8-ENT-UPG	IDRAC 8 Enterprise Upgrade for NVR3	670.00
HD-NVR3-STD-W10UPG	WES7 to Win10 Upgrade - HD NVR3 Standard models	420.00
HD-NVR3-VAL-W10UPG	WES7 to Win10 Upgrade - HD NVR3 Value models	420.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

HD Network Video Recorders

NVR Spare Hard Drives

Model No.	Description	MSRP \$
HD-NVR4-HDDN-HOT-10TB	10TB HDD in Caddie (Front/Rear Bay Only) - NVR4-PRM-157 (see compatibility guide)	2,320.00
HD-NVR4-HDDN-INT-10TB	10TB HDD (Internal Bay Only) - NVR4-PRM-157 (see compatibility guide)	2,270.00
HD-NVR4-HDDN-HOT-8TB	8TB HDD in Caddie (Front/Rear Bay Only) - NVR4-PRM-128, NVR4-PRM-96 (see compatibility guide)	1,850.00
HD-NVR4-HDDN-INT-8TB	8TB HDD (Internal Bay Only) - NVR4-PRM-128, NVR4-PRM-96 (see compatibility guide)	1,800.00
HD-NVR4-HDDN-HOT-4TB	4TB HDD in Caddie (Front/Rear Bay Only) - NVR4-PRM-64 (see compatibility guide)	1,170.00
HD-NVR4-HDDN-INT-4TB	4TB HDD (Internal Bay Only) - NVR4-PRM-64 (see compatibility guide)	1,100.00
HD-NVR4-HDDS-HOT-8TB	8TB HDD in Caddie (Front/Rear Bay Only) - NVR4-STD-48, NVR4-STD-32 (see compatibility guide)	1,525.00
HD-NVR4-HDDS-HOT-4TB	4TB HDD in Caddie (Front/Rear Bay Only) - NVR4-STD-24, NVR4-STD-16 (see compatibility guide)	920.00
HD-NVR3-HDDN-HOT-10TB	10TB HDD in Caddie (Front/Rear Bay Only) - NVR3-PRM-137 (see compatibility guide)	2,335.00
HD-NVR3-HDDN-INT-10TB	10TB HDD (Internal Bay Only) - NVR3-PRM-137 (see compatibility guide)	2,300.00
HD-NVR3-HDDN-HOT-4TB	4TB HDD in Caddie (Front/Rear Bay Only) - NVR3-STD-24 (see compatibility guide)	1,170.00
HD-NVR3-HDDS-HOT-4TB	4TB HDD in Caddie (Front/Rear Bay Only) - NVR3-VAL-12, Gen 2 (see compatibility guide)	820.00
HD-NVR3-HDDS-HOT-2TB	2TB HDD in Caddie (Front/Rear Bay Only) - NVR3-VAL-6, Gen 2 (see compatibility guide)	670.00
HD-NVR3-HDDS-HOT-1TB	1TB HDD in Caddie (Front/Rear Bay Only) - NVR3-VAL-3, Gen 2 (see compatibility guide)	550.00

NVR Warranty Extensions

These warranties extended the SLA for the indicated number of years past the 3 years that come standard with all NVR's. Be sure to note the NVR generation and family.

Model No.	Description	MSRP \$
HD-NVR4-PRM-WARR-EXTEND-1YR	1 Year Extended Warranty for HD-NVR4-PRM	2,110.00
HD-NVR4-PRM-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-NVR4-PRM	4,195.00
HD-NVR4-STD-WARR-EXTEND-1YR	1 Year Extended Warranty for HD-NVR4-STD	1,410.00
HD-NVR4-STD-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-NVR4-STD	2,795.00
HD-NVR3-PRM-WARR-EXTEND-1YR	1 Year Extended Warranty for HD-NVR3-PRM	2,108.00
HD-NVR3-PRM-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-NVR3-PRM	4,195.00
HD-NVR3-STD-WARR-EXTEND-1YR	1 Year Extended Warranty for HD-NVR3-STD	2,108.00
HD-NVR3-STD-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-NVR3-STD	4,195.00
HD-NVR3-VAL-WARR-EXTEND-1YR	1 Year Extended Warranty for HD-NVR3-VAL	988.00
HD-NVR3-VAL-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-NVR3-VAL	1,955.00
HD-NVR3-VAL-WARR-EXTEND-1YR-G2	1 Year Extended Warranty for HD-NVR3-VAL, Gen 2	870.00
HD-NVR3-VAL-WARR-EXTEND-2YR-G2	2 Year Extended Warranty for HD-NVR3-VAL, Gen 2	1,670.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Artificial Intelligence Appliances

Avigilon Artificial Intelligence Appliances add patented self-learning video analytics and Avigilon Appearance Search™ technology to nearly any IP camera or encoder. When connected to Avigilon Control Center (ACC) software, customers can evolve legacy camera systems into powerful AI solutions — with automatic alerts of potentially critical events and the ability to search for and locate a person or vehicle of interest across an entire site.

Artificial Intelligence Appliances



The Avigilon Artificial Intelligence Appliance is Engineered for high performance , capacity and resiliency, the AI Appliance features leading CPU and GPU hardware that simultaneously support Avigilon video analytics and Avigilon Appearance Search technology. Easy to deploy into an existing Avigilon Control Center site it is :

1. Preloaded with and ready to cluster with a separate Avigilon Control Center (ACC) Enterprise Edition high definition network video management server.

Note: Separate camera licenses are not required. All cameras are licensed via the associated ACC NVR or appliance to which the cameras are connected.

2. Supports Self-Learning video analytic processing and rules plus Avigilon Appearance Search on all cameras .

3. Available in two variants that can support up to thirty or sixty 2MP streams of total video analysis throughput. Total throughput is dependent on each cameras resolution and frame rate .

4. Preconfigured with dual redundant power supplies; multiple 1GbE network interfaces.

5. Packaged in industry-standard 2U rack mount chassis with sliding rails (compatible with square and round hole racks) and cable management arm.

6. Remotely configured using an ACC client, supports remote administrative management, but all video management and viewing is through a separate ACC server.

Model No.	Description	MSRP \$
VMA-AIA1-CG1-AU	Avigilon AI Appliance A10 Model, AU	11,995.00
VMA-AIA1-CG1-NA	Avigilon AI Appliance A10 Model, NA	11,995.00
VMA-AIA1-CG1-UK	Avigilon AI Appliance A10 Model, UK	11,995.00
VMA-AIA1-CG2-AU	Avigilon AI Appliance A20 Model, AU	23,745.00
VMA-AIA1-CG2-NA	Avigilon AI Appliance A20 Model, NA	23,745.00
VMA-AIA1-CG2-UK	Avigilon AI Appliance A20 Model, UK	23,745.00

Artificial Intelligence Appliances Accessories

The Avigilon Artificial Intelligence Appliance offers optional replacement parts .

Model No.	Description	MSRP \$
VMA-AIA1-WARR-EXTEND-1YR	1 Year Extended Warranty for VMA-AIA1	2,000.00
VMA-AIA1-WARR-EXTEND-2YR	2 Year Extended Warranty for VMA-AIA1	3,950.00
VMA-AIA-2NDPS-AU	Replacement, hot-swappable power supply, for AU	465.00
VMA-AIA-2NDPS-NA	Replacement, hot-swappable power supply, for NA	465.00
VMA-AIA-2NDPS-UK	Replacement, hot-swappable power supply, for UK	465.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

HD Video Appliances

2nd Generation HD Video Appliance Pro



The new generation of Avigilon High Definition Video Appliances provide an all-in-one security solution with improved performance and higher capacity that help reduce installation time and overall complexity of the surveillance system. The HD Video Appliance line integrates our ACC™ video management software with a high-powered PoE switch and a client workstation to provide a cost effective recording and video management solution that is capable of supporting multi-megapixel IP cameras, up to our industry-leading 7K (30 megapixel) HD Pro camera line. Onsite service is not included. ACC license activation is required after purchase. Mouse, keyboard, monitor not included.

Model No.	Description	MSRP \$
VMA-AS2-16P06-AU	HD Video Appliance Pro 16-port 6TB unit with ACC Standard 16-ch license	6,500.00
VMA-AS2-16P06-NA	HD Video Appliance Pro 16-port 6TB unit with ACC Standard 16-ch license	6,500.00
VMA-AS2-16P06-UK	HD Video Appliance Pro 16-port 6TB unit with ACC Standard 16-ch license	6,500.00
VMA-AS2-16P09-AU	HD Video Appliance Pro 16-port 9TB unit with ACC Standard 16-ch license	7,335.00
VMA-AS2-16P09-NA	HD Video Appliance Pro 16-port 9TB unit with ACC Standard 16-ch license	7,335.00
VMA-AS2-16P09-UK	HD Video Appliance Pro 16-port 9TB unit with ACC Standard 16-ch license	7,335.00
VMA-AS2-16P12-AU	HD Video Appliance Pro 16-port 12TB unit with ACC Standard 16-ch license	8,500.00
VMA-AS2-16P12-NA	HD Video Appliance Pro 16-port 12TB unit with ACC Standard 16-ch license	8,500.00
VMA-AS2-16P12-UK	HD Video Appliance Pro 16-port 12TB unit with ACC Standard 16-ch license	8,500.00
VMA-AS2-24P12-AU	HD Video Appliance Pro 24-port 12TB unit with ACC Standard 24-ch license	10,000.00
VMA-AS2-24P12-NA	HD Video Appliance Pro 24-port 12TB unit with ACC Standard 24-ch license	10,000.00
VMA-AS2-24P12-UK	HD Video Appliance Pro 24-port 12TB unit with ACC Standard 24-ch license	10,000.00
VMA-AS2-24P18-AU	HD Video Appliance Pro 24-port 18TB unit with ACC Standard 24-ch license	12,000.00
VMA-AS2-24P18-NA	HD Video Appliance Pro 24-port 18TB unit with ACC Standard 24-ch license	12,000.00
VMA-AS2-24P18-UK	HD Video Appliance Pro 24-port 18TB unit with ACC Standard 24-ch license	12,000.00
VMA-AS2-24P24-AU	HD Video Appliance Pro 24-port 24TB unit with ACC Standard 24-ch license	14,000.00
VMA-AS2-24P24-NA	HD Video Appliance Pro 24-port 24TB unit with ACC Standard 24-ch license	14,000.00
VMA-AS2-24P24-UK	HD Video Appliance Pro 24-port 24TB unit with ACC Standard 24-ch license	14,000.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

HD Video Appliances

2nd Generation HD Video Appliance



The HD Video Appliance is a turnkey product that combines an 8-port Power-over-Ethernet (PoE) network switch along with full video management server and client software capabilities into a single compact form factor. The HD Video Appliance is powered by Avigilon's market-leading ACC 6 software and comes pre-installed with Core edition licensing included (activation required). Onsite service is not included. Mouse, keyboard, monitor not included.

Model No.	Description	MSRP \$
VMA-AS2-8P2-AU	HD Video Appliance 8-port 2TB unit with ACC Core 8-ch license	2,497.00
VMA-AS2-8P2-NA	HD Video Appliance 8-port 2TB unit with ACC Core 8-ch license	2,497.00
VMA-AS2-8P2-UK	HD Video Appliance 8-port 2TB unit with ACC Core 8-ch license	2,497.00
VMA-AS2-8P4-AU	HD Video Appliance 8-port 4TB unit with ACC Core 8-ch license	2,745.00
VMA-AS2-8P4-NA	HD Video Appliance 8-port 4TB unit with ACC Core 8-ch license	2,745.00
VMA-AS2-8P4-UK	HD Video Appliance 8-port 4TB unit with ACC Core 8-ch license	2,745.00

2nd Generation HD Video Appliance Accessories

Model No.	Description	MSRP \$
VMA-AS2-8PPS	HD Video Appliance 200W Power Supply - no power cord	185.00
VMA-AS2-8PRMS1U	1U Rack mount shelf for HD Video Appliance 8-port	85.00
VMA-AS2-HDD02	HD Video Appliance 2TB Hard Drive Compatible with 8-Port,16-Port	170.00
VMA-AS2-HDD03	HD Video Appliance Pro 3TB Hard Drive Compatible with 16-Port	205.00
VMA-AS2-HDD04	HD Video Appliance 4TB Hard Drive Compatible with 8-Port,16-Port, 24-Port	270.00
VMA-AS2-HDD06	HD Video Appliance Pro 6TB Hard Drive Compatible with 24-Port	385.00
VMA-AS2-HDD08	HD Video Appliance Pro 8TB Hard Drive Compatible with 24-Port	495.00

ACC Software Upgrades

Model No.	Description	MSRP \$
8C-ACC6-STD-ENT-UPG	ACC 6 upgrade license Standard to Enterprise for 8 camera channels	1,420.00
8C-ACC6-COR-STD-UPG	ACC 6 upgrade license Core to Standard for 8 camera channels	855.00
16C-ACC5-STD-ENT-UPG	ACC 5 upgrade license Standard to Enterprise for 16 camera channels	2,845.00
16C-ACC6-STD-ENT-UPG	ACC 6 upgrade license Standard to Enterprise for 16 camera channels	2,845.00
24C-ACC5-STD-ENT-UPG	ACC 5 upgrade license Standard to Enterprise for 24 camera channels	4,245.00
24C-ACC6-STD-ENT-UPG	ACC 6 upgrade license Standard to Enterprise for 24 camera channels	4,245.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

ACC Edge Solutions

Fit the solution to the application. Combined with our high definition cameras with self-learning analytics, the ACC ES HD Recorder becomes a powerful and intelligent remote monitoring solution. For facilities with existing investments in non-analytic IP cameras, the ACC ES Analytics Appliance adds self-learning analytics to any connected video stream—IP camera or encoder.

ACC ES HD Recorder



The ACC ES HD Recorder provides local recording and ACC 6 NVMS (Network Video Management Software) server capabilities for 4 camera channels out-of-the-box. The included ACC supports forming a site with multiple recorders, being connected as a child site in a site family, collaborative investigations, and unlimited rule triggers (see product datasheet for more information). All Avigilon H.264 cameras are supported, including the 7K HD Pro. A browser-based management interface provides status information and enables network management. The integrated 4-port PoE switch supports PoE+ power to individual ports. Note that there is no local video out connection with this product.

Model No.	Description	MSRP \$
VMA-RPO-4P2-AU	ACC ES HD Recorder, 4-port, 4 channels, 2TB	1,750.00
VMA-RPO-4P2-NA	ACC ES HD Recorder, 4-port, 4 channels, 2TB	1,750.00
VMA-RPO-4P2-UK	ACC ES HD Recorder, 4-port, 4 channels, 2TB	1,750.00
VMA-RPO-4P4-AU	ACC ES HD Recorder, 4-port, 4 channels, 4TB	2,085.00
VMA-RPO-4P4-NA	ACC ES HD Recorder, 4-port, 4 channels, 4TB	2,085.00
VMA-RPO-4P4-UK	ACC ES HD Recorder, 4-port, 4 channels, 4TB	2,085.00

ACC ES Analytics Appliance



The ACC ES Analytics Appliance is an all-in-one device that brings video analytics with edge storage to a broad range of video surveillance deployments. With onboard storage of 2 and 4 Terabytes (TB) and 6 channels of ACC 6 NVMS included, it adds Avigilon self-learning video analytics, embedded storage and remote management to any IP video surveillance system. Included ACC licenses support forming a site with multiple recorders/appliances, being connected as a child site in a site family, collaborative investigations, and unlimited rule triggers (see product datasheet for more information). A browser-based management interface provides status information, and enables network management. The integrated 4-port PoE switch supports PoE+ power to individual ports. Note that there is no local video out connection with this product.

Model No.	Description	MSRP \$
VMA-RPA-4P2-AU	ACC ES Analytics Appliance, 4 Port, 6 channels, 2TB	4,000.00
VMA-RPA-4P2-NA	ACC ES Analytics Appliance, 4 Port, 6 channels, 2TB	4,000.00
VMA-RPA-4P2-UK	ACC ES Analytics Appliance, 4 Port, 6 channels, 2TB	4,000.00
VMA-RPA-4P4-AU	ACC ES Analytics Appliance, 4 Port, 6 channels, 4TB	4,335.00
VMA-RPA-4P4-NA	ACC ES Analytics Appliance, 4 Port, 6 channels, 4TB	4,335.00
VMA-RPA-4P4-UK	ACC ES Analytics Appliance, 4 Port, 6 channels, 4TB	4,335.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

ACC Edge Solutions

Fit the solution to the application. Combined with our high definition cameras with self-learning analytics, the ACC ES HD Recorder becomes a powerful and intelligent remote monitoring solution. For facilities with existing investments in non-analytic IP cameras, the ACC ES Analytics Appliance adds self-learning analytics to any connected video stream—IP camera or encoder.

ACC ES Accessories

The following accessories are designed for the Edge Solution HD Recorder and Edge Solution Analytics Appliance .

Model No.	Description	MSRP \$
VMA-RPX-4PRMS1U	1U Rack mount shelf and rails, ES Products	240.00
VMA-RPX-4PPS-90	Power supply, 90W (Power cord not included)	150.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

HD Professional Workstations

3rd Generation HD NVR Workstations



1. HD NVR Workstations are designed to be stand alone units for recording , playback, and camera management.
2. HD NVR Workstations include a keyboard and mouse . A display monitor, network switches and cabling for cameras are not included, see the accessories list for more details.
3. HD NVR Workstations support multiple viewing clients , additional camera channel licenses, and audio channel licenses.
4. An ACC license is not included with the hardware and must be purchased separately for either ACC Core , Standard, or Enterprise.

Model No.	Description	MSRP \$
HD-NVRWS3-8TB-AU	NVR Workstation, 8.0 TB Storage, AU power cord	3,135.00
HD-NVRWS3-8TB-NA	NVR Workstation, 8.0 TB Storage, NA power cord	3,135.00
HD-NVRWS3-8TB-UK	NVR Workstation, 8.0 TB Storage, UK power cord	3,135.00

4th Generation Professional Remote Monitoring Workstations



Avigilon Control Center Professional high performance remote monitoring workstations are intended for use with Avigilon Control Center 5 and 6 HD NVMS. Avigilon Control Center Client is preloaded and a keyboard and mouse are included , a display monitor is not included. Visit sdt.avigilon.com and use the SDT to find the right HD NVR for your installation . All HD NVRs are sold without an Avigilon Control Center license which must be purchased separately .

Model No.	Description	MSRP \$
HD-RMWS4-4MN-AU	Professional Remote Monitoring Workstation for viewing on up to four monitors , AU power cord	3,475.00
HD-RMWS4-4MN-NA	Professional Remote Monitoring Workstation for viewing on up to four monitors , NA power cord	3,475.00
HD-RMWS4-4MN-UK	Professional Remote Monitoring Workstation for viewing on up to four monitors , UK power cord	3,475.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

HD Professional Workstations

3rd Generation Professional Remote Monitoring Workstations



Avigilon Control Center Professional high performance remote monitoring workstations are intended for use with Avigilon Control Center 5 and 6 HD NVMS. Avigilon Control Center Client is preloaded and a keyboard and mouse are included, a display monitor is not included. Visit sdt.avigilon.com and use the SDT to find the right HD NVR for your installation. All HD NVRs are sold without an Avigilon Control Center license which must be purchased separately.

Model No.	Description	MSRP \$
HD-RMWS3-2MN-AU	Professional Remote Monitoring Workstation for viewing on up to two 4K monitors, AU power cord	2,075.00
HD-RMWS3-2MN-NA	Professional Remote Monitoring Workstation for viewing on up to two 4K monitors, NA power cord	2,075.00
HD-RMWS3-2MN-UK	Avigilon Control Center Professional high performance remote monitoring workstation for up to 2 monitors, UK power cord	2,075.00

Workstation Accessories

Model No.	Description	MSRP \$
HD-NVRWS3-W10UPG	WES7 to Win10 Upgrade - HD NVR3 Workstations	250.00
HD-RMWS3-4MN-W10UPG	WES7 to Win10 Upgrade - 4 Monitor Remote Monitoring Workstations	420.00
HD-RMWS3-2MN-W10UPG	WES7 to Win10 Upgrade - 2 Monitor Remote Monitoring Workstations	250.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

HD Professional Workstations

Professional Monitors

Model No.	Description	MSRP \$
M1300	Monitor, 19", LCD, 1.3 Megapixel, 5:4 Standard Aspect Ratio	325.00
M1300-EU	Monitor, 19", LCD, 1.3 Megapixel, 5:4 Standard Aspect Ratio	325.00
M1300-UK	Monitor, 19", LCD, 1.3 Megapixel, 5:4 Standard Aspect Ratio	325.00
M2324-NA	Monitor, 24", LCD, 2.3 Megapixel, 16:10 Widescreen Aspect Ratio - NA	665.00
M2324-AU	Monitor, 24", LCD, 2.3 Megapixel, 16:10 Widescreen Aspect Ratio - AU	665.00
M2324-EU	Monitor, 24", LCD, 2.3 Megapixel, 16:10 Widescreen Aspect Ratio - EU	665.00
M2324-UK	Monitor, 24", LCD, 2.3 Megapixel, 16:10 Widescreen Aspect Ratio - UK	665.00
M4K32-NA	Monitor, 32" LCD 4K UHD, 16:9 Widescreen Aspect Ratio - NA	2,335.00
M4K43-NA	Monitor, 43" LCD 4K UHD, 16:9 Widescreen Aspect Ratio - NA	2,500.00
M4K43-EU	Monitor, 43" LCD 4K UHD, 16:9 Widescreen Aspect Ratio - EU	2,500.00
M4K43-UK	Monitor, 43" LCD 4K UHD, 16:9 Widescreen Aspect Ratio - UK	2,500.00
M4K32-AU	Monitor, 32" LCD 4K UHD, 16:9 Widescreen Aspect Ratio - AU	2,335.00
M4K32-EU	Monitor, 32" LCD 4K UHD, 16:9 Widescreen Aspect Ratio - EU	2,335.00
M4K32-UK	Monitor, 32" LCD 4K UHD, 16:9 Widescreen Aspect Ratio - UK	2,335.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

HD Professional Workstations

Workstations Warranty Extensions

These warranties extended the SLA for the indicated number of years past the 3 years that come standard with all HD Professional Workstations. Be sure to note the Workstation generation.

Model No.	Description	MSRP \$
HD-NVR2-WARR-EXTEND-1YR	1 Year Extended Warranty for HD-NVR2	1,410.00
HD-NVR2-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-NVR2	2,798.00
HD-NVR-WARR-EXTEND-1YR	1 Year Extended Warranty for HD-NVR	1,865.00
HD-NVR-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-NVR	3,708.00
HD-NVRWS3-WARR-EXTEND-1YR	1 Year Extended Warranty for HD-NVRWS3	358.00
HD-NVRWS3-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-NVRWS3	716.00
HD-NVRWS-WARR-EXTEND-1YR	1 Year Extended Warranty for HD-NVRWS	358.00
HD-NVRWS-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-NVRWS	716.00
HD-RMWS3-2MN-WARR-EXTEND-1YR	1 Year Extended Warranty for HD-RMWS3-2MN	358.00
HD-RMWS3-2MN-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-RMWS3-2MN	716.00
HD-RMWS-2MN-WARR-EXTEND-1YR	1 Year Extended Warranty for 2MN-HD-RMWS	358.00
HD-RMWS-2MN-WARR-EXTEND-2YR	2 Year Extended Warranty for 2MN-HD-RMWS	716.00
HD-RMWS3-4MN-WARR-EXTEND-1YR	1 Year Extended Warranty for HD-RMWS3-4MN	325.00
HD-RMWS3-4MN-WARR-EXTEND-2YR	2 Year Extended Warranty for HD-RMWS3-4MN	650.00
HD-RMWS-4MN-WARR-EXTEND-1YR	1 Year Extended Warranty for 4MN-HD-RMWS	325.00
HD-RMWS-4MN-WARR-EXTEND-2YR	2 Year Extended Warranty for 4MN-HD-RMWS	650.00

NVR (Network Video Recorder); NVMS (Network Video Management Software)

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Networking

POE Switches

Model No.	Description	MSRP \$
S8	Switch, Gigabit POE+ 124W, 8 Port	730.00
S8-AU	Switch, Gigabit POE+ 124W, 8 Port	730.00
S8-UK	Switch, Gigabit POE+ 124W, 8 Port	730.00
S24	Switch, Gigabit POE+ 180W, 24 Port	1,980.00
S24-AU	Switch, Gigabit POE+ 180W, 24 Port	1,980.00
S24-UK	Switch, Gigabit POE+ 180W, 24 Port	1,980.00
ES-PS-S4	Managed switch, 5 port, Outdoor IP66, -40°C (-40°F) to 50°C (122°C), Gigabit Ethernet, AC power input. 1x SFP uplink and 4 port RJ45. Maximum PoE power allocation: Up to 4 ports of PoE+ each, or 2 ports of 60W PoE each. In 60W PoE mode, compatible with all H4 PTZ and H4 IR PTZ.	1,130.00
ES-PS-MNT-POLE	Pole mount bracket for ES-PS-S4 switch.	70.00

POE Extender

Model No.	Description	MSRP \$
EX1	Single port 100Mbps POE Extender for extending Cat 5 beyond the 100m cable limit.	311.00

POE Injectors

Model No.	Description	MSRP \$
POE-INJ2-STD-NA	Indoor single port Gigabit 802.3af PoE injector, Class 3 - NA power cord. Injector temperature range 0°C to +40°C (32°F to 104°F).	70.00
POE-INJ2-STD-AU	Indoor single port Gigabit 802.3af PoE injector, Class 3 - AU power cord. Injector temperature range 0°C to +40°C (32°F to 104°F).	70.00
POE-INJ2-STD-UK	Indoor single port Gigabit 802.3af PoE injector, Class 3 - UK power cord. Injector temperature range 0°C to +40°C (32°F to 104°F).	70.00
POE-INJ2-PLUS-UK	Indoor single port POE+ injector, for use with H4 PTZ in-ceiling or pendant variants in temperature range of -10°C to +50°C (14°F to 122°F); compatible with indoor (in-ceiling) models or outdoor models installed in temperature range of -10°C to +50°C (14°F to 122°F). UK power cord. Injector temperature range -20°C to +40°C (-4°F to 104°F).	75.00
POE-INJ2-PLUS-NA	Indoor single port POE+ injector, for use with H4 PTZ in-ceiling or pendant variants in temperature range of -10°C to +50°C (14°F to 122°F); compatible with indoor (in-ceiling) models or outdoor models installed in temperature range of -10°C to +50°C (14°F to 122°F). NA power cord. Injector temperature range -20°C to +40°C (-4°F to 104°F).	75.00
POE-INJ2-PLUS-AU	Indoor single port POE+ injector, for use with H4 PTZ in-ceiling or pendant variants in temperature range of -10°C to +50°C (14°F to 122°F); compatible with indoor (in-ceiling) models or outdoor models installed in temperature range of -10°C to +50°C (14°F to 122°F). AU power cord. Injector temperature range -20°C to +40°C (-4°F to 104°F).	75.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Networking

Coax to Ethernet Converters

Model No.	Description	MSRP \$
C2E-P	Coax-to-Ethernet converter pair (no power over coax)	500.00
C2E-EDGE	C2E edge unit up 500m on RG-11 (requires head-end unit)	315.00
C2E-HEAD1	C2E head-end unit up 500m on RG-11 (requires edge unit)	335.00
C2E-HEAD4	C2E Quad head-end unit up 500m on RG-11 (up to 4 edge units)	960.00
C2E-PSU-40W	40W Power Supply compatible with C2E-HEAD1 and C2E-HEAD4	90.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Analog Video Encoders

H.264 Analog Video Encoder



A single Avigilon H.264 Analog Video Encoder requires only one channel license in Avigilon Control Center regardless of the number of analog cameras connected to it.

Model No.	Description	MSRP \$
ENC-4P-H264	4-Port H.264 Analog Video Encoder with 4 audio support	345.00

Analog Video Encoder Accessories

Model No.	Description	MSRP \$
ENC-BRK1U	Mounting bracket for 3 Avigilon Analog Video Encoders in 1U of standard rack space	55.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Video Accessories

Surveillance Microphone

Model No.	Description	MSRP \$
ACC-MIC	Omni-directional, low impedance, electret condenser microphone with built-in preamp for producing line level output. It is housed in a high impact ABS dome designed for ceiling or wall mounting . Normal pick-up pattern is approximately 15' from the microphone location, all directions, or within 30' diameter circle. No wiring or plug is provided with the microphone, Avigilon HD Dome Cameras and Analog Encoders with Audio use a 3.5mm plug.	292.00

Surveillance Joystick

Model No.	Description	MSRP \$
ACC-USB-JOY	Programmable USB Surveillance Joystick for controlling digital and conventional PTZ within Avigilon Control Center	625.00
ACC-USB-JOY-PRO	Fully configured Professional USB Surveillance joystick for full control of Avigilon Control Center including shuttle playback control and digital and conventional PTZ.	945.00

HD Camera Installation Tools

Model No.	Description	MSRP \$
ACC-SPLIT	POE Splitter for Camera Installation, extracts 12V DC from a POE input for powering a camera during focusing	53.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

H4 HD Cameras with Self-Learning Video Analytics

Visit sdt.avigilon.com and use the SDT to find the right camera for your installation.

1.0 Megapixel H4 HD Dome Cameras with Self-Learning Video Analytics



The H4 HD dome cameras are a great solution for monitoring both daytime and nighttime activities. Embedded with self-learning video analytics, the H4 HD cameras seamlessly integrate with Avigilon Control Center (ACC), allowing security personnel to respond proactively and mitigate an incident before damage is done. They feature an integrated lens for remote focus and zoom control and are ONVIF compliant for easy integration.

Model No.	Description	MSRP \$
1.0C-H4A-D1-B	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics	700.00
1.0C-H4A-D1-IR-B	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics	750.00
1.0C-H4A-DO1-B	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics	850.00
1.0C-H4A-DO1-IR-B	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics	900.00
1.0C-H4A-DP1-B	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Pendant Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1	790.00
1.0C-H4A-DP1-IR-B	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.	840.00
1.0C-H4A-DC1-B	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics	750.00
1.0C-H4A-D2-B	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Indoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	740.00
1.0C-H4A-DO2-B	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	890.00
1.0C-H4A-DP2-B	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Pendant Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.	830.00
1.0C-H4A-DC2-B	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	790.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

H4 HD Cameras with Self-Learning Video Analytics

Visit sdt.avigilon.com and use the SDT to find the right camera for your installation.

2.0 Megapixel H4 HD Dome Cameras with Self-Learning Video Analytics



The H4 HD dome cameras are a great solution for monitoring both daytime and nighttime activities. Embedded with self-learning video analytics, the H4 HD cameras seamlessly integrate with Avigilon Control Center (ACC), allowing security personnel to respond proactively and mitigate an incident before damage is done. They feature an integrated lens for remote focus and zoom control and are ONVIF compliant for easy integration.

Model No.	Description	MSRP \$
2.0C-H4A-D1-B	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics	800.00
2.0C-H4A-D1-IR-B	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics	850.00
2.0C-H4A-DO1-B	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics	950.00
2.0C-H4A-DO1-IR-B	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics	1,000.00
2.0C-H4A-DP1-B	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Pendant Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.	890.00
2.0C-H4A-DP1-IR-B	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.	940.00
2.0C-H4A-DC1-B	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics	850.00
2.0C-H4A-D2-B	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Indoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	840.00
2.0C-H4A-DO2-B	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	990.00
2.0C-H4A-DP2-B	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Pendant Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.	930.00
2.0C-H4A-DC2-B	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	890.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

H4 HD Cameras with Self-Learning Video Analytics

Visit sdt.avigilon.com and use the SDT to find the right camera for your installation.

3.0 Megapixel H4 HD Dome Cameras with Self-Learning Video Analytics



The H4 HD dome cameras are a great solution for monitoring both daytime and nighttime activities. Embedded with self-learning video analytics, the H4 HD cameras seamlessly integrate with Avigilon Control Center (ACC), allowing security personnel to respond proactively and mitigate an incident before damage is done. They feature an integrated lens for remote focus and zoom control and are ONVIF compliant for easy integration.

Model No.	Description	MSRP \$
3.0C-H4A-D1-B	3.0 Megapixel WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics	835.00
3.0C-H4A-D1-IR-B	3.0 Megapixel WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics	885.00
3.0C-H4A-DO1-B	3.0 Megapixel WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics	985.00
3.0C-H4A-DO1-IR-B	3.0 Megapixel WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics	1,035.00
3.0C-H4A-DP1-B	3.0 Megapixel WDR, LightCatcher, Day/Night, Pendant Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.	925.00
3.0C-H4A-DP1-IR-B	3.0 Megapixel WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.	975.00
3.0C-H4A-DC1-B	3.0 Megapixel WDR, LightCatcher, Day/Night, In-Ceiling Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics	885.00
3.0C-H4A-D2-B	3.0 Megapixel WDR, LightCatcher, Day/Night, Indoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	875.00
3.0C-H4A-DO2-B	3.0 Megapixel WDR, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	1,025.00
3.0C-H4A-DP2-B	3.0 Megapixel WDR, LightCatcher, Day/Night, Pendant Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.	965.00
3.0C-H4A-DC2-B	3.0 Megapixel WDR, LightCatcher, Day/Night, In-Ceiling Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	925.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

H4 HD Cameras with Self-Learning Video Analytics

Visit sdt.avigilon.com and use the SDT to find the right camera for your installation.

5.0 Megapixel H4 HD Dome Cameras with Self-Learning Video Analytics



The H4 HD dome cameras are a great solution for monitoring both daytime and nighttime activities. Embedded with self-learning video analytics, the H4 HD cameras seamlessly integrate with Avigilon Control Center (ACC), allowing security personnel to respond proactively and mitigate an incident before damage is done. They feature an integrated lens for remote focus and zoom control and are ONVIF compliant for easy integration.

Model No.	Description	MSRP \$
5.0L-H4A-D1-B	5.0 Megapixel, LightCatcher, 4.3-8mm f/1.8 P-iris lens, Indoor Dome, Self-Learning Video Analytics	955.00
5.0L-H4A-D1-IR-B	5.0 Megapixel, LightCatcher, Indoor Dome, 4.3-8mm f/1.8 P-iris lens, Integrated IR, Self-Learning Video Analytics	1,005.00
5.0L-H4A-DO1-B	5.0 Megapixel, LightCatcher, Day/Night, Outdoor Dome, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics	1,105.00
5.0L-H4A-DO1-IR-B	5.0 Megapixel, LightCatcher, Day/Night, Outdoor Dome, 4.3-8mm f/1.8 P-iris lens, Integrated IR, Self-Learning Video Analytics	1,155.00
5.0L-H4A-DP1-B	5.0 Megapixel, LightCatcher, Day/Night, Pendant Dome, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.	1,045.00
5.0L-H4A-DP1-IR-B	5.0 Megapixel, LightCatcher, Day/Night, Pendant Dome, 4.3-8mm f/1.8 P-iris lens, Integrated IR, Self-Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.	1,095.00
5.0L-H4A-DC1-B	5.0 Megapixel, LightCatcher, Day/Night, In-Ceiling Dome, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics	1,005.00
5.0L-H4A-D2-B	5.0 Megapixel, LightCatcher, Day/Night, Indoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	995.00
5.0L-H4A-DO2-B	5.0 Megapixel, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	1,145.00
5.0L-H4A-DP2-B	5.0 Megapixel, LightCatcher, Day/Night, Pendant Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.	1,085.00
5.0L-H4A-DC2-B	5.0 Megapixel, LightCatcher, Day/Night, In-Ceiling Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	1,045.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

H4 HD Cameras with Self-Learning Video Analytics

Visit sdt.avigilon.com and use the SDT to find the right camera for your installation.

4K UHD (8.0 Megapixel) H4 HD Dome Cameras with Self-Learning Video Analytics



The H4 HD dome cameras are a great solution for monitoring both daytime and nighttime activities. Embedded with self-learning video analytics, the H4 HD cameras seamlessly integrate with Avigilon Control Center (ACC), allowing security personnel to respond proactively and mitigate an incident before damage is done. They feature an integrated lens for remote focus and zoom control and are ONVIF compliant for easy integration.

Model No.	Description	MSRP \$
8.0-H4A-D1-B	4K UHD (8.0 Megapixel), Day/Night, Indoor Dome, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics	1,300.00
8.0-H4A-D1-IR-B	4K UHD (8.0 Megapixel), Indoor Dome, 4.3-8mm f/1.8 P-iris lens, Integrated IR Self-Learning Video Analytics	1,350.00
8.0-H4A-DC1-B	4K UHD (8.0 Megapixel), Day/Night, In-Ceiling Dome, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics	1,350.00
8.0-H4A-DO1-B	4K UHD (8.0 Megapixel), Day/Night, Outdoor Dome, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics	1,450.00
8.0-H4A-DO1-IR-B	4K UHD (8.0 Megapixel), Day/Night, Outdoor Dome, 4.3-8mm f/1.8 P-iris lens, Integrated IR, Self-Learning Video Analytics	1,500.00
8.0-H4A-DP1-B	4K UHD (8.0 Megapixel), Day/Night, Pendant Dome, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.	1,390.00
8.0-H4A-DP1-IR-B	4K UHD (8.0 Megapixel), Day/Night, Pendant Dome, 4.3-8mm f/1.8 P-iris lens, Integrated IR, Self-Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.	1,440.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

H4 HD Cameras with Self-Learning Video Analytics

Visit sdt.avigilon.com and use the SDT to find the right camera for your installation.

H4 HD Bullet Cameras with Self-Learning Video Analytics



The H4 HD Bullet camera from Avigilon is ideal for seeing objects and activity in complete darkness. Embedded with self-learning video analytics, the H4 HD cameras seamlessly integrate with Avigilon Control Center (ACC), allowing security personnel to respond proactively and mitigate an incident before damage is done.

Model No.	Description	MSRP \$
1.0C-H4A-BO1-IR-B	1.0 Megapixel (720p) WDR, LightCatcher, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics	900.00
1.0C-H4A-BO2-IR-B	1.0 Megapixel (720p) WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Self-Learning Video Analytics	940.00
2.0C-H4A-BO1-IR-B	2.0 Megapixel (1080p) WDR, LightCatcher, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics	1,000.00
2.0C-H4A-BO2-IR-B	2.0 Megapixel (1080p) WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Self-Learning Video Analytics	1,040.00
3.0C-H4A-BO1-IR-B	3.0 Megapixel WDR, LightCatcher, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics	1,035.00
3.0C-H4A-BO2-IR-B	3.0 Megapixel WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Self-Learning Video Analytics	1,075.00
5.0L-H4A-BO1-IR-B	5.0 Megapixel, LightCatcher, 4.3-8mm f/1.8 P-iris lens, Integrated IR, Self-Learning Video Analytics	1,155.00
5.0L-H4A-BO2-IR-B	5.0 Megapixel, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Self-Learning Video Analytics	1,195.00
8.0-H4A-BO1-IR-B	4K UHD (8.0 Megapixel), 4.3-8mm f/1.8 P-iris lens, Integrated IR, Self-Learning Video Analytics	1,500.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

H4 HD Cameras with Self-Learning Video Analytics

Visit sdt.avigilon.com and use the SDT to find the right camera for your installation.

H4 HD Box Cameras with Self-Learning Video Analytics



Embedded with self-learning video analytics, the H4 HD cameras seamlessly integrate with Avigilon Control Center (ACC), allowing security personnel to respond proactively and mitigate an incident before damage is done. The H4 HD camera features an integrated lens for remote focus and zoom control, and is ONVIF compliant for easy integration. These cameras are ONVIF compliant for a no-hassle integration.

Model No.	Description	MSRP \$
1.0C-H4A-B1-B	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, 4.7-84.6mm f/1.6 lens, Self-Learning Video Analytics	745.00
1.0C-H4A-B2-B	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics	700.00
1.0C-H4A-B3-B	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	740.00
2.0C-H4A-B1-B	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, 4.7-84.6mm f/1.6 lens, Self-Learning Video Analytics	845.00
2.0C-H4A-B2-B	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics	800.00
2.0C-H4A-B3-B	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	840.00
3.0C-H4A-B1-B	3.0 Megapixel WDR, LightCatcher, Day/Night, 4.7-84.6mm f/1.6 lens, Self-Learning Video Analytics	880.00
3.0C-H4A-B2-B	3.0 Megapixel WDR, LightCatcher, Day/Night, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics	835.00
3.0C-H4A-B3-B	3.0 Megapixel WDR, LightCatcher, Day/Night, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	875.00
5.0L-H4A-B2-B	5.0 Megapixel, LightCatcher, Day/Night, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics	955.00
5.0L-H4A-B3-B	5.0 Megapixel, LightCatcher, Day/Night, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics	995.00
8.0-H4A-B2-B	4K UHD (8.0 Megapixel), Day/Night, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics	1,300.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

H4 HD Cameras with Self-Learning Video Analytics

Visit sdt.avigilon.com and use the SDT to find the right camera for your installation.

H4 HD Camera Accessories

Model No.	Description	MSRP \$
H4A-BO-SHLD1	Replacement sun shield for H4 HD Bullet Cameras with Self-Learning Analytics and H4 Thermal Cameras.	15.00
CM-AC-AVIO1	3.5mm audio and video I/O jack with 1.8m fly wire	8.00
CM-AC-GROM1	Cable sealing grommet for use with 3/4" conduit entry, pack of 10	10.00
		
H4A-AC-GROM1	Cable sealing grommet for use with H4A dome cameras, pack of 10	10.00
		
H4-AC-WIFI2-NA	WiFi Installation Kit with WiFi USB adapter, micro-USB to USB adapter and TT20 torx driver bit. For use in the following countries: Argentina, Bolivia, Canada, Chile, Colombia, Costa Rica, Cuba, Dominican Republic, Ecuador, El Salvador, Guatemala, Haiti, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Taiwan, United States, Uruguay, Venezuela	130.00
H4A-DC-CLER1	Replacement clear transparent cover for H4A in-ceiling dome camera. Includes dome bubble and grey camera cover.	40.00
H4A-DC-CLER1-BL	Replacement clear transparent cover for H4A in-ceiling dome camera. Includes dome bubble and black camera cover.	40.00
H4-DC-CPNL1	Metal ceiling panel for use with H4A-DC or H4SL-MT-DCIL1 in-ceiling dome cameras to replace or reinforce the existing ceiling tile in suspended ceiling installations.	95.00
H4A-DC-SMOK1	Replacement smoked transparent cover for H4A in-ceiling dome camera. Reduces light transmission by 50%. Not recommended for low light applications or with the integrated IR illuminator. Includes dome bubble and grey camera cover.	40.00
H4A-DC-SMOK1-BL	Replacement smoked transparent cover for H4A in-ceiling dome camera. Reduces light transmission by 50%. Not recommended for low light applications or with the integrated IR illuminator. Includes dome bubble and black camera cover.	40.00
H4A-DD-CLER1	Replacement clear transparent cover for H4A indoor dome camera. Includes dome bubble and grey camera cover.	40.00
H4A-DD-CLER1-BL	Replacement clear transparent cover for H4A indoor dome camera. Includes dome bubble and black camera cover.	40.00
H4A-DD-SDWL1	Replacement sidewall knockout plug for H4A indoor dome cameras, pack of 5	5.00
H4A-DD-SDWL1-BL	Replacement sidewall knockout plug for H4A indoor dome cameras, black, pack of 5	5.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

H4 HD Cameras with Self-Learning Video Analytics

Visit sdt.avigilon.com and use the SDT to find the right camera for your installation.

H4 HD Camera Accessories

Model No.	Description	MSRP \$
H4A-DD-SMOK1	Replacement smoked transparent cover for H4 A indoor dome camera. Reduces light transmission by 50%. Not recommended for low light applications or with the integrated IR illuminator. Includes dome bubble and grey camera cover.	40.00
H4A-DD-SMOK1-BL	Replacement smoked transparent cover for H4 A indoor dome camera. Reduces light transmission by 50%. Not recommended for low light applications or with the integrated IR illuminator. Includes dome bubble and black camera cover.	40.00
H4A-DO-CLER1	Replacement clear transparent cover for H4A outdoor dome camera. Includes dome bubble and grey camera cover.	60.00
H4A-DO-SMOK1	Replacement smoked transparent cover for H4 A outdoor dome camera. Reduces light transmission by 50%. Not recommended for low light applications or with the integrated IR illuminator. Includes dome bubble and grey camera cover.	60.00
H4A-DP-CLER1	Replacement clear transparent cover for H4A pendant dome camera. Includes dome bubble and grey camera cover.	60.00
H4A-DP-SMOK1	Replacement smoked transparent cover for H4 A pendant dome camera. Reduces light transmission by 50%. Not recommended for low light applications or with the integrated IR illuminator. Includes dome bubble and grey camera cover.	60.00
H4A-MT-NPTA1	NPT adapter for use with H4A-DP pendant dome cameras	60.00
H4A-MT-WALL1	Wall mount bracket for use with H4A-DP pendant dome cameras	60.00
H4-MT-CRNR1	Corner mount adapter for use with H4A-MT-WALL1, H4-BO-JBOX1, H4SL, H4F and H4 PTZ cameras.	90.00
H4-MT-POLE1	Pole mount adapter for use with H4A-MT-WALL1, H4-BO-JBOX1, H4SL, H4F and H4 PTZ cameras.	90.00
H4-BO-JBOX1	Junction box for the H4A HD Bullet, H4SL HD Bullet, or H4 Thermal cameras.	90.00
H4-BO-DEMO1	Replacement H4 HD Bullet or H4 Thermal configuration port cover with a female 1/4-20 screw mount for use with tripod head for demo purposes only. Do not use for actual installation.	5.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

H4 Edge Solution (ES) with Self-Learning Video Analytics

Visit sdt.avigilon.com and use the SDT to find the right camera for your installation.

H4 ES Dome Cameras with Self-Learning Video Analytics



The H4 Edge Solution Camera records video directly to an onboard solid-state drive, eliminates the need for a separate network video recorder, and reduces installation and system costs. The H4 Edge Solution Camera line provides unique flexibility and versatility, with deployment options ranging from standalone installation, multicamera solutions, to seamless integration into a conventional network video surveillance system.

Model No.	Description	MSRP \$
1.0C-H4A-12G-DO1-IR-B	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics, 128GB Built-in SSD	1,450.00
1.0C-H4A-12G-DP1-IR-B	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics, 128GB Built-in SSD. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.	1,450.00
2.0C-H4A-25G-DO1-IR-B	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics, 256GB Built-in SSD	1,750.00
2.0C-H4A-25G-DP1-IR-B	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics, 256GB Built-in SSD. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.	1,750.00
3.0C-H4A-25G-DO1-IR-B	3.0 Megapixel WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics, 256GB Built-in SSD	1,995.00
3.0C-H4A-25G-DP1-IR-B	3.0 Megapixel WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics, 256GB Built-in SSD. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.	1,995.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

H4 Edge Solution (ES) with Self-Learning Video Analytics

Visit sdt.avigilon.com and use the SDT to find the right camera for your installation.

H4 ES Bullet Cameras with Self-Learning Video Analytics



The H4 Edge Solution Camera records video directly to an onboard solid-state drive, eliminates the need for a separate network video recorder, and reduces installation and system costs. The H4 Edge Solution Camera line provides unique flexibility and versatility, with deployment options ranging from standalone installation, multicamera solutions, to seamless integration into a conventional network video surveillance system.

Model No.	Description	MSRP \$
1.0C-H4A-12G-BO1-IR-B	1.0 Megapixel (720p) WDR, LightCatcher, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics, 128GB Built-in SSD	1,450.00
1.0C-H4A-12G-BO2-IR-B	1.0 Megapixel (720p) WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Self-Learning Video Analytics, 128GB Built-in SSD	1,500.00
2.0C-H4A-25G-BO1-IR-B	2.0 Megapixel (1080p) WDR, LightCatcher, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics, 256GB Built-in SSD	1,750.00
2.0C-H4A-25G-BO2-IR-B	2.0 Megapixel (1080p) WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Self-Learning Video Analytics, 256GB Built-in SSD	1,800.00
3.0C-H4A-25G-BO1-IR-B	3.0 Megapixel WDR, LightCatcher, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics, 256GB Built-in SSD	1,995.00
3.0C-H4A-25G-BO2-IR-B	3.0 Megapixel WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Self-Learning Video Analytics, 256GB Built-in SSD	2,045.00

H4 ES Box Cameras with Self-Learning Video Analytics



The H4 Edge Solution Camera records video directly to an onboard solid-state drive, eliminates the need for a separate network video recorder, and reduces installation and system costs. The H4 Edge Solution Camera line provides unique flexibility and versatility, with deployment options ranging from standalone installation, multicamera solutions, to seamless integration into a conventional network video surveillance system.

Model No.	Description	MSRP \$
1.0C-H4A-12G-B1	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, 4.7-84.6mm f/1.6 lens, Self-Learning Video Analytics, 128GB Built-in SSD	1,415.00
2.0C-H4A-25G-B1	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, 4.7-84.6mm f/1.6 lens, Self-Learning Video Analytics, 256GB Built-in SSD	1,715.00
3.0C-H4A-25G-B1	3.0 Megapixel WDR, LightCatcher, Day/Night, 4.7-84.6mm f/1.6 lens, Self-Learning Video Analytics, 256GB Built-in SSD	1,960.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

H4 Edge Solution (ES) with Self-Learning Video Analytics

Visit sdt.avigilon.com and use the SDT to find the right camera for your installation.

Accessories

Model No.	Description	MSRP \$
H4A-BO-SHLD1	Replacement sun shield for H4 HD Bullet Cameras with Self-Learning Analytics and H4 Thermal Cameras.	15.00
CM-AC-AVIO1	3.5mm audio and video I/O jack with 1.8m fly wire	8.00
CM-AC-GROM1	Cable sealing grommet for use with 3/4" conduit entry, pack of 10	10.00
		
H4A-AC-GROM1	Cable sealing grommet for use with H4A dome cameras, pack of 10	10.00
		
H4-AC-WIFI2-NA	WiFi Installation Kit with WiFi USB adapter, micro-USB to USB adapter and TT20 torx driver bit. For use in the following countries: Argentina, Bolivia, Canada, Chile, Colombia, Costa Rica, Cuba, Dominican Republic, Ecuador, El Salvador, Guatemala, Haiti, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Taiwan, United States, Uruguay, Venezuela	130.00
H4A-DO-CLER1	Replacement clear transparent cover for H4A outdoor dome camera. Includes dome bubble and grey camera cover.	60.00
H4A-DO-SMOK1	Replacement smoked transparent cover for H4A outdoor dome camera. Reduces light transmission by 50%. Not recommended for low light applications or with the integrated IR illuminator. Includes dome bubble and grey camera cover.	60.00
H4A-DP-CLER1	Replacement clear transparent cover for H4A pendant dome camera. Includes dome bubble and grey camera cover.	60.00
H4A-DP-SMOK1	Replacement smoked transparent cover for H4A pendant dome camera. Reduces light transmission by 50%. Not recommended for low light applications or with the integrated IR illuminator. Includes dome bubble and grey camera cover.	60.00
H4A-MT-NPTA1	NPT adapter for use with H4A-DP pendant dome cameras	60.00
H4A-MT-WALL1	Wall mount bracket for use with H4A-DP pendant dome cameras	60.00
H4-MT-CRNR1	Corner mount adapter for use with H4A-MT-WALL1, H4-BO-JBOX1, H4SL, H4F and H4 PTZ cameras.	90.00
H4-MT-POLE1	Pole mount adapter for use with H4A-MT-WALL1, H4-BO-JBOX1, H4SL, H4F and H4 PTZ cameras.	90.00
H4-BO-JBOX1	Junction box for the H4A HD Bullet, H4SL HD Bullet, or H4 Thermal cameras.	90.00
H4-BO-DEMO1	Replacement H4 HD Bullet or H4 Thermal configuration port cover with a female 1/4-20 screw mount for use with tripod head for demo purposes only. Do not use for actual installation.	5.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

H4 SL Camera Line

Visit sdt.avigilon.com and use the SDT to find the right camera for your installation.

H4 SL Dome Cameras



Straight out of the box, the H4 SL camera is designed and packaged for simple ordering and quick and flexible installation. This camera line's discreet and modular design allows it to seamlessly fit in to its surroundings. These cameras are ONVIF compliant for a no-hassle integration.

Model No.	Description	MSRP \$
1.3C-H4SL-D1	1.3 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.4	360.00
1.3C-H4SL-D1-IR	1.3 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.4, Integrated IR	395.00
1.3C-H4SL-DO1-IR	1.3 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Dome, 3-9mm f/1.4, Integrated IR	470.00
2.0C-H4SL-D1	2.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.4	410.00
2.0C-H4SL-D1-IR	2.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.4, Integrated IR	445.00
2.0C-H4SL-DO1-IR	2.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Dome, 3-9mm f/1.4, Integrated IR	520.00
3.0C-H4SL-D1	3.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.4	460.00
3.0C-H4SL-D1-IR	3.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.4, Integrated IR	495.00
3.0C-H4SL-DO1-IR	3.0 MP, WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.4, Integrated IR	570.00

H4 SL Bullet Cameras



The H4 SL bullet models have interchangeable brackets for maximum flexibility in mounting options, they can be vertically or horizontally-mounted with a versatile sunshade for unobstructed views. The camera's IK10-rated, vandal-resistant and IP66 dust and water-resistant housing make it ideal for monitoring a variety of outdoor environments. These cameras are ONVIF compliant for a no-hassle integration.

Model No.	Description	MSRP \$
1.3C-H4SL-BO1-IR	1.3 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet, 3-9mm f/1.4, Integrated IR	470.00
2.0C-H4SL-BO1-IR	2.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet, 3-9mm f/1.4, Integrated IR	520.00
3.0C-H4SL-BO1-IR	3.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet Camera, 3-9mm f/1.4, Integrated IR	570.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

H4 SL Camera Line

Visit sdt.avigilon.com and use the SDT to find the right camera for your installation.

H4 SL Camera Accessories

Model No.	Description	MSRP \$
H4-AC-WIFI2-NA	WiFi Installation Kit with WiFi USB adapter, micro-USB to USB adapter and TT20 torx driver bit. For use in the following countries: Argentina, Bolivia, Canada, Chile, Colombia, Costa Rica, Cuba, Dominican Republic, Ecuador, El Salvador, Guatemala, Haiti, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Taiwan, United States, Uruguay, Venezuela	130.00
H4-DC-CPNL1	Metal ceiling panel for use with H4A-DC or H4SL-MT-DCIL1 in-ceiling dome cameras to replace or reinforce the existing ceiling tile in suspended ceiling installations.	95.00
H4-MT-CRNR1	Corner mount adapter for use with H4A-MT-WALL1, H4-BO-JBOX1, H4SL, H4F and H4 PTZ cameras.	90.00
H4-MT-POLE1	Pole mount adapter for use with H4A-MT-WALL1, H4-BO-JBOX1, H4SL, H4F and H4 PTZ cameras.	90.00
H4SL-AC-CNID1	Conduit Opening Cover Grey,5pk, ,H4SL dome camera	10.00
H4SL-AC-CNPL1	Conduit Plate, Grey for 1/2" 5 pk, for H4 SL dome camera	15.00
H4SL-AC-CNPL2	Conduit Plate, Grey for 3/4" 5 pk, for H4 SL dome camera	15.00
H4SL-AC-COND1	Conduit Cover Gray 5 pk,Grey, for H4SL dome camera	10.00
H4SL-AC-GROM1	Rubber grommet cable seal 10 pk, for H4SL dome camera	15.00
		
H4SL-BO-SHLD1	Replacement sun shield for H4SL bullet camera	10.00
H4SL-DD-CLER1	Replacement clear transparent cover for H4 SL outdoor dome camera. Includes dome bubble and grey camera cover.	30.00
H4SL-DD-SMOK1	Replacement smoked transparent cover for H4 SL dome camera. Reduces light transmission by 50%. Not recommended for low light applications where the integrated IR illuminator is used. Includes dome bubble and grey camera cover.	35.00
H4SL-MT-DCIL1	In-Ceiling mount for H4SL dome cameras	30.00
H4SL-MT-NPTA1	NPT adapter for use with H4SL cameras	30.00
CM-MT-WALL1	Pendant wall arm for H4 Fisheye (needs H4F-MT-NPTA1), H4SL (needs H4SL-MT-NPTA1), H4 PTZ or H3-xMH-DP-B cameras.	70.00
H4-BO-JBOX1	Junction box for the H4A HD Bullet, H4SL HD Bullet, or H4 Thermal cameras.	90.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

H4 Mini Dome Cameras

Visit sdt.avigilon.com and use the SDT to find the right camera for your installation.

H4 Mini Dome Cameras



The H4 Mini Dome is the smallest and most discreet camera within the Avigilon H4 platform ideal for space constrained applications requiring a minimal footprint surveillance camera. The innovative and modular design of this camera line allows it to snap into surface or in-ceiling mount adaptors to easily fit challenging installations. This camera line provides exceptional image quality, LightCatcher technology, dual exposure true Wide Dynamic Range (WDR) and adaptive IR on selected variant all at an entry level price point.

Model No.	Description	MSRP \$
1.3C-H4M-D1	1.3 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 2.8mm f/1.2	250.00
1.3C-H4M-D1-IR	1.3 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 2.8mm f/1.2, IR	285.00
2.0C-H4M-D1	2.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 2.8mm f/1.2	340.00
2.0C-H4M-D1-IR	2.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 2.8mm f/1.2, IR	375.00
3.0C-H4M-D1	3.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 2.8mm f/1.2	390.00
3.0C-H4M-D1-IR	3.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 2.8mm f/1.2, IR	425.00

H4 Mini Dome Camera Accessories

Model No.	Description	MSRP \$
H4M-BZL1-BL	Black surface mount bezel for H4M dome cameras, package of 5	30.00
H4M-MT-DCIL1	In-Ceiling mount for H4M dome cameras	30.00
H4M-MT-DCIL1-BL	In-Ceiling mount for H4M dome cameras, Black	30.00
H4M-MT-NPTA1	Pendant mount for H4M dome cameras	30.00
H4M-MT-NPTA1-BL	Pendant mount for H4M dome cameras, Black	30.00
H4M-MT-DSPL	Package of 5 wall plates for H4M dome cameras	30.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

H4 PTZ Camera Line

Visit sdt.avigilon.com and use the SDT to find the right camera for your installation.

H4 PTZ Pendant Dome Cameras



The Avigilon H4 PTZ camera line combines high-speed tracking and 360-degree coverage with excellent image quality, low-light performance and video analytics. The new H4 PTZ camera line is available in 1 and 2 megapixel (MP) camera resolutions in outdoor pendant mount format. The 1 MP PTZ camera has 45x zoom, while the 2 MP PTZ has a built-in 30x zoom lens for high-quality, detailed images from great distances. These cameras are ONVIF compliant for a no-hassle integration.

Model No.	Description	MSRP \$
1.0C-H4PTZ-DP45	1.0 Megapixel (720p) WDR Day/Night, 45x, Pendant Dome, Self-learning analytics	2,280.00
2.0C-H4PTZ-DP30	2.0 Megapixel (1080p) WDR Day/Night, 30x, Pendant Dome, Self-learning analytics	2,660.00

H4 PTZ In-Ceiling Dome Cameras



The Avigilon H4 PTZ camera line combines high-speed tracking and 360-degree coverage with excellent image quality, low-light performance and video analytics. The new H4 PTZ camera line is available in 1 and 2 megapixel (MP) camera resolutions in indoor in-ceiling mount format. The 1 MP PTZ camera has 45x zoom, while the 2 MP PTZ has a built-in 30x zoom lens for high-quality, detailed images from great distances. These cameras are ONVIF compliant for a no-hassle integration.

Model No.	Description	MSRP \$
1.0C-H4PTZ-DC45	1.0 Megapixel (720p) WDR Day/Night, 45x, In-Ceiling Dome, Self-learning analytics	2,010.00
2.0C-H4PTZ-DC30	2.0 Megapixel (1080p) WDR Day/Night, 30x, In-Ceiling Dome, Self-learning analytics	2,390.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

H4 PTZ Camera Line

Visit sdt.avigilon.com and use the SDT to find the right camera for your installation.

Accessories

Model No.	Description	MSRP \$
ES-PS-S4	Managed switch, 5 port, Outdoor IP66, -40°C (-40°F) to 50°C (122°C), Gigabit Ethernet, AC power input. 1x SFP uplink and 4 port RJ45. Maximum PoE power allocation: Up to 4 ports of PoE+ each, or 2 ports of 60W PoE each. In 60W PoE mode, compatible with all H4 PTZ and H4 IR PTZ.	1,130.00
ES-PS-MNT-POLE	Pole mount bracket for ES-PS-S4 switch.	70.00
CM-MT-WALL1	Pendant wall arm for H4 Fisheye (needs H4F-MT-NPTA1), H4SL (needs H4SL-MT-NPTA1), H4 PTZ or H3-xMH-DP-B cameras.	70.00
PTZMH-DC-CPNL1	Metal Ceiling panel for H4 PTZ and HD Multisensor cameras.	90.00
PTZMH-ACCS-CABL1	Replacement cable accessory and adapter kit for H4 PTZ Pendant mount cameras. Includes waterproof RJ45 connector, M8 2-pin male cable and M12 12-pin female cable.	50.00
PTZMH-DP-CLER1	IK10 replacement clear transparent cover, includes dome bubble and camera cover for H4 PTZ Pendant cameras.	120.00
PTZMH-DP-SMOK1	IK10 replacement smoked transparent cover, includes dome bubble and camera cover for H4 PTZ Pendant cameras. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications.	120.00
PTZMH-DC-CLER1	In-ceiling replacement clear transparent cover, includes dome bubble and camera cover for H4 PTZ Pendant cameras.	120.00
PTZMH-DC-SMOK1	Replacement smoked transparent cover, includes dome bubble and camera cover H4 PTZ In-Ceiling cameras. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications.	120.00
PTZMH-MT-NPTA1	Replacement male NPT adapter for use with H4 PTZ or HD Multisensor cameras.	25.00
POE-INJ2-60W-NA	Indoor single port Gigabit PoE++ 60W, North American power cord included. May also be used in European Union, Japan, Australia, New Zealand, Mexico, China, South Korea, Russia, Argentina, Saudi Arabia, Kuwait, UAE and Brazil. Temperature range of the PoE injector is -10C to +45C (14 °F to 113 °F). When used with the H4 IR PTZ, the camera will operate in a reduced temperature range from -10 °C to +50 °C (14 °F to 122 °F).	150.00
POE-INJ2-PLUS-UK	Indoor single port POE+ injector, for use with H4 PTZ in-ceiling or pendant variants in temperature range of -10°C to +50°C (14°F to 122°F); compatible with indoor (in-ceiling) models or outdoor models installed in temperature range of -10°C to +50°C (14°F to 122°F). UK power cord. Injector temperature range -20°C to +40°C (-4°F to 104°F).	75.00
POE-INJ2-PLUS-NA	Indoor single port POE+ injector, for use with H4 PTZ in-ceiling or pendant variants in temperature range of -10°C to +50°C (14°F to 122°F); compatible with indoor (in-ceiling) models or outdoor models installed in temperature range of -10°C to +50°C (14°F to 122°F). NA power cord. Injector temperature range -20°C to +40°C (-4°F to 104°F).	75.00
POE-INJ2-PLUS-AU	Indoor single port POE+ injector, for use with H4 PTZ in-ceiling or pendant variants in temperature range of -10°C to +50°C (14°F to 122°F); compatible with indoor (in-ceiling) models or outdoor models installed in temperature range of -10°C to +50°C (14°F to 122°F). AU power cord. Injector temperature range -20°C to +40°C (-4°F to 104°F).	75.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

H4 PTZ Camera Line

Visit sdt.avigilon.com and use the SDT to find the right camera for your installation.

POE-INJ2-60W: 60W PoE++ Injector, provides full operating temperature range on the H4 PTZ pendant mount

Recommended for outdoor H4 PTZ cameras installed in temperature range of -40C to +50C (-40F to 122F). This model provides North American plug only; other regions may use a power cord with C13 one side and county specific wall plug connector the other side.

POE-INJ2-PLUS: Single port POE+ injector, for use with H4 PTZ in-ceiling or pendant variants in temperature range of -10C to +50C (14F to 122F); compatible with indoor (in-ceiling) models or outdoor models installed in temperature range of -10C to +50C (14F to 122F).

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

CONFIDENTIAL: The contents of this document are considered confidential and should not be posted on a public access website, made available for general public distribution, or otherwise shared with others without prior written authorization from Avigilon Corporation.

H4 IR PTZ Camera Line

Visit sdt.avigilon.com and use the SDT to find the right camera for your installation.

H4 IR PTZ Pendant Cameras



The Avigilon H4 IR PTZ is a high-resolution outdoor PTZ camera with 250 meter (820 feet) IR illumination range that automatically adjusts the IR projection angle according to zoom and field of view, ensuring the scene is well illuminated. Combined with wide dynamic range (WDR), image stabilization and Avigilon patented LightCatcher (TM) technology, this camera provides exceptional images in a wide range of applications and environments.

Model No.	Description	MSRP \$
1.0C-H4IRPTZ-DP45-WP	1MP H4 IR PTZ with Wiper 45X, Self-learning analytics, IK10, IP66, 250m IR	3,250.00
2.0C-H4IRPTZ-DP30-WP	2MP H4 IR PTZ, with Wiper 30X, Self-learning analytics, IK10, IP66, 250m IR	3,525.00
1.0C-H4IRPTZ-DP45	1MP H4 IR PTZ, 45X, Self-learning analytics, IK10, IP66, 250m IR	3,050.00
2.0C-H4IRPTZ-DP30	2MP H4 IR PTZ, 30X, Self-learning analytics, IK10, IP66, 250m IR	3,325.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

H4 IR PTZ Camera Line

Visit sdt.avigilon.com and use the SDT to find the right camera for your installation.

H4 IR PTZ Camera Accessories

Model No.	Description	MSRP \$
IRPTZ-MNT-NPTA1	Mount, Pend NPT Adapter, IR PTZ	55.00
IRPTZ-MNT-WALL1	Mount, Pend wall, IR PTZ	95.00
POE-INJ2-95W-NA	Indoor single Port PoE Injector Gigabit, 95W, NA power cord, for use with H4IR PTZ - indoor installation rated. Temperature range of the PoE injector is -10C to +45C. This model includes a north american plug only; other regions may use power cord with C13 on one side and with country specific plug on the other side. Countries supported: USA, Canada, Mexico, Puerto Rico, Aruba, Trinidad,Tobago, United Kingdom, France, Germany, Portugal, Spain, Italy, Iceland, Ireland, Switzerland, Denmark, Finland, Poland, Norway, Belgium, Croatia, Slovenia, Georgia, Australia, New Zealand, Cyprus, Jordan, Qatar, Qatar, Bahrain, Utd. Arab Emirate, Chile, Colombia, Bolivia, Costa Rica, Honduras, Panama, Paraguay, Brazil, Sierra Leone, Zambia, Namibia, Ghana, Mauritius, Vietnam, Thailand, Philippines, Fiji, Pap. New Guinea	400.00
IRPTZ-ACCS-CABL1	Replacement power and I/O cable for H4 IR PTZ.	28.00
ES-PS-S4	Managed switch, 5 port, Outdoor IP66, -40°C (-40°F) to 50°C (122°C), Gigabit Ethernet, AC power input. 1x SFP uplink and 4 port RJ45. Maximum PoE power allocation: Up to 4 ports of PoE+ each, or 2 ports of 60W PoE each. In 60W PoE mode, compatible with all H4 PTZ and H4 IR PTZ.	1,130.00
ES-PS-MNT-POLE	Pole mount bracket for ES-PS-S4 switch.	70.00
H4-MT-CRNR1	Corner mount adapter for use with H4A-MT-WALL1, H4-BO-JBOX1, H4SL, H4F and H4 PTZ cameras.	90.00
H4-MT-POLE1	Pole mount adapter for use with H4A-MT-WALL1, H4-BO-JBOX1, H4SL, H4F and H4 PTZ cameras.	90.00
POE-INJ2-60W-NA	Indoor single port Gigabit PoE++ 60W, North American power cord included. May also be used in European Union, Japan, Australia, New Zealand, Mexico, China, South Korea, Russia, Argentina, Saudi Arabia, Kuwait, UAE and Brazil. Temperature range of the PoE injector is -10C to +45C (14 °F to 113 °F). When used with the H4 IR PTZ, the camera will operate in a reduced temperature range from -10 °C to +50 °C (14 °F to 122 °F).	150.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

H4 Fisheye Camera Line, HD Multi-Sensor Cameras

Visit sdt.avigilon.com and use the SDT to find the right camera for your installation.

H4 Fisheye Camera Line



The H4 Fisheye camera line offers a complete, high-resolution, 360-degree panoramic view of a scene with no blind spots. Built on the H4 platform, this indoor and outdoor camera line provides clear image details in any lighting condition. These cameras are ONVIF compliant for a no-hassle integration.

Model No.	Description	MSRP \$
6.0L-H4F-DO1-IR	6.0 MP, Fisheye Camera, LightCatcher, Day/Night, 1.45mm f/2.2, Integrated IR	655.00
12.0-H4F-DO1-IR	12.0 MP, Fisheye Camera, Day/Night, 1.45mm f/2.2, Integrated IR	1,080.00

H4 Fisheye Camera Line Accessories

Model No.	Description	MSRP \$
H4F-MT-NPTA1	NPT adapter for use with H4F cameras	60.00
H4F-AC-DESI1	Desiccant packs for use with H4F cameras, contains qty 5. individually packaged dessicant packs	10.00
H4F-ACCS-KIT1	Replacement installation accessories for H4F camera. Includes accessories kit, Aux IO cable, and torx screw driver.	30.00
H4F-DO-CVER1	Replacement top cover assembly for H4F camera. Includes dome bubble, IR board, mic and grey camera cover.	160.00
CM-MT-WALL1	Pendant wall arm for H4 Fisheye (needs H4F-MT-NPTA1), H4SL (needs H4SL-MT-NPTA1), H4 PTZ or H3-xMH-DP-B cameras.	70.00

HD Multi-Sensor Camera



The HD Multisensor camera enables users to monitor and cover challenging environments that normally require multiple cameras, delivering superior image detail. With 4 fully-customizable sensors that can be adjusted for nearly any viewing angle, you can be sure you'll get the coverage that's specific to your needs. These cameras are ONVIF compliant for a no-hassle integration.

Model No.	Description	MSRP \$
9W-H3-3MH-DP1-B	3x 3 MP, Pendant Multisensor Camera, 2.8-8mm f/1.3	1,875.00
9W-H3-3MH-DC1	3x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3	1,775.00
9W-H3-3MH-DO1-B	3x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3	1,875.00
12W-H3-4MH-DP1-B	4x 3 MP, Pendant Multisensor camera, 2.8-8mm f/1.3	2,125.00
12W-H3-4MH-DC1	4x 3 MP, In-ceiling Multisensor camera, 2.8-8mm f/1.3	2,025.00
12W-H3-4MH-DO1-B	4x 3 MP, Outdoor Multisensor camera, 2.8-8mm f/1.3	2,125.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

H4 Fisheye Camera Line, HD Multi-Sensor Cameras

Visit sdt.avigilon.com and use the SDT to find the right camera for your installation.

HD Multi-Sensor Camera Line Accessories

Model No.	Description	MSRP \$
H4F-MT-NPTA1	NPT adapter for use with H4F cameras	60.00
H4F-AC-DESI1	Desiccant packs for use with H4F cameras, contains qty 5. individually packaged dessicant packs	10.00
H4F-ACCS-KIT1	Replacement installation accessories for H4F camera. Includes accessories kit, Aux IO cable, and torx screw driver.	30.00
H4F-DO-CVER1	Replacement top cover assembly for H4F camera. Includes dome bubble, IR board, mic and grey camera cover.	160.00
H4-MT-CRNR1	Corner mount adapter for use with H4A-MT-WALL1, H4-BO-JBOX1, H4SL, H4F and H4 PTZ cameras.	90.00
H4-MT-POLE1	Pole mount adapter for use with H4A-MT-WALL1, H4-BO-JBOX1, H4SL, H4F and H4 PTZ cameras.	90.00
CM-MT-WALL1	Pendant wall arm for H4 Fisheye (needs H4F-MT-NPTA1), H4SL (needs H4SL-MT-NPTA1), H4 PTZ or H3-xMH-DP-B cameras.	70.00
PTZMH-DC-CPNL1	Metal Ceiling panel for H4 PTZ and HD Multisensor cameras.	90.00
PTZMH-ACCS-CABL1	Replacement cable accessory and adapter kit for H4 PTZ Pendant mount cameras. Includes waterproof RJ45 connector, M8 2-pin male cable and M12 12-pin female cable.	50.00
PTZMH-DP-CLER1	IK10 replacement clear transparent cover, includes dome bubble and camera cover for H4 PTZ Pendant cameras.	120.00
PTZMH-DP-SMOK1	IK10 replacement smoked transparent cover, includes dome bubble and camera cover for H4 PTZ Pendant cameras. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications.	120.00
PTZMH-DC-CLER1	In-ceiling replacement clear transparent cover, includes dome bubble and camera cover for H4 PTZ Pendant cameras.	120.00
PTZMH-DC-SMOK1	Replacement smoked transparent cover, includes dome bubble and camera cover H4 PTZ In-Ceiling cameras. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications.	120.00
PTZMH-MT-NPTA1	Replacement male NPT adapter for use with H4 PTZ or HD Multisensor cameras.	25.00
H3-MH-NPTA1	Replacement female NPT adapter for use with H3 PTZ H4 PTZ and H3 Multisensor cameras.	25.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

H4 Thermal Camera Line

Visit sdt.avigilon.com and use the SDT to find the right camera for your installation.

H4 Thermal Cameras



The outdoor rated Avigilon H4 Thermal camera provides exceptional performance with the combination of thermal imaging and Avigilon's patented self-learning video analytics. Operating beyond the visible spectrum, the H4 Thermal camera line is designed to detect the movement of people and vehicles even in areas with poor visibility, challenging lighting conditions, absolute darkness and partly camouflaged scenes without the need for additional light sources. Through Avigilon self-learning video analytics, operators receive notification of detected activity that may require further investigation, helping them take decisive action when needed.

Please note that all purchase orders for Avigilon H4 Thermal cameras must have the Purchaser Certification completed and submitted with the purchase order.

Model No.	Description	MSRP \$
320S-H4A-THC-BO50	320x256, Thermal Outdoor Bullet, 4.3mm f/1.0, 9Hz, NETD<60mK, Self-Learning Video Analytics	3,700.00
320S-H4A-THC-BO24	320x256, Thermal Outdoor Bullet, 9.1mm f/1.0, 9Hz, NETD<60mK, Self-Learning Video Analytics	3,900.00
320S-H4A-THC-BO12	320x256, Thermal Outdoor Bullet, 18.0mm f/1.0, 9Hz, NETD<60mK, Self-Learning Video Analytics	4,700.00

H4 Thermal Camera Accessories

Model No.	Description	MSRP \$
H4A-BO-SHLD1	Replacement sun shield for H4 HD Bullet Cameras with Self-Learning Analytics and H4 Thermal Cameras.	15.00
H4-AC-WIFI2-NA	WiFi Installation Kit with WiFi USB adapter, micro-USB to USB adapter and TT20 torx driver bit. For use in the following countries: Argentina, Bolivia, Canada, Chile, Colombia, Costa Rica, Cuba, Dominican Republic, Ecuador, El Salvador, Guatemala, Haiti, Honduras, Mexico, Nicaragua, Panama, Paraguay, Peru, Puerto Rico, Taiwan, United States, Uruguay, Venezuela	130.00
H4-MT-CRNR1	Corner mount adapter for use with H4A-MT-WALL1, H4-BO-JBOX1, H4SL, H4F and H4 PTZ cameras.	90.00
H4-MT-POLE1	Pole mount adapter for use with H4A-MT-WALL1, H4-BO-JBOX1, H4SL, H4F and H4 PTZ cameras.	90.00
H4-BO-JBOX1	Junction box for the H4A HD Bullet, H4SL HD Bullet, or H4 Thermal cameras.	90.00
H4-BO-DEMO1	Replacement H4 HD Bullet or H4 Thermal configuration port cover with a female 1/4-20 screw mount for use with tripod head for demo purposes only. Do not use for actual installation.	5.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

H4 Video Intercom

Visit sdt.avigilon.com and use the SDT to find the right camera for your installation.

H4 Video Intercom



The H4 Video Intercom integrates a 3 MP fisheye camera with a high-performance intercom and features exceptional wide dynamic range, IR and lowlight, noise reduction, and echo-cancelling technologies for clear viewing and two-way communication with visitors. Combined with Avigilon Control Center (ACC) video management software, this secured entry system enables operators to quickly and easily identify and communicate with a visitor before remotely granting access. The H4 Video Intercom also supports Avigilon Appearance Search™ technology, which enables security operators to locate a specific person of interest quickly across all cameras on a site.

Model No.	Description	MSRP \$
3.0C-H4VI-RO1-IR	3.0 MP, H4 Video Intercom, WDR, LightCatcher, Day/Night, 1.83mm f/2.4, Integrated IR, Recessed Mount	1,150.00

H4 Video Intercom Accessories

Model No.	Description	MSRP \$
H4VI-AC-RELY1	Safety Relay for H4 Video Intercom	120.00
H4VI-MT-SURF1	Surface mount adapter for H4 Video Intercom	225.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

HD Pro Cameras

Visit sdt.avigilon.com and use the SDT to find the right camera for your installation.

H.264 HD Pro Color Cameras with LightCatcher Technology



All HD Pro Color Cameras come with an EF lens mount that supports auto-iris and motorized focus control when connected to a compatible lens. Some lenses may require AUX power. See datasheet for further lens compatibility. Onboard storage capable.

Model No.	Description	MSRP \$
24L-H4PRO-B	6K (24 MP) H.264 HD Pro with LightCatcher Technology	9,000.00
30L-H4PRO-B	7K (30 MP) H.264 HD Pro with LightCatcher Technology	10,000.00

H.264 HD Pro Color Cameras with LightCatcher Technology and Self-Learning Analytics



All HD Pro Color Cameras come with an EF/EF-S lens mount that supports auto-iris and motorized focus control when connected to a compatible lens. Some lenses may require AUX power. See datasheet for further lens compatibility. Onboard storage capable. 4K to 6K HD Pro cameras support self-learning video analytics.

Model No.	Description	MSRP \$
8L-H4PRO-B	4K (8 MP) H.264 HD Pro with LightCatcher Technology	2,085.00
12L-H4PRO-B	4.5K (12 MP) H.264 HD Pro with LightCatcher Technology	7,075.00
16L-H4PRO-B	5K (16 MP) H.264 HD Pro with LightCatcher Technology	7,500.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Lenses for HD Pro Cameras

Visit sdt.avigilon.com and use the SDT to find the right lens for your camera.

There are other lenses available for Avigilon cameras. If you have requirements for lenses outside what is listed here, please contact Sales at Avigilon.

Fixed Focal Length EF & EF-S Mount Lenses for JPEG2000 HD Pro and H.264 HD Pro Cameras

Model No.	Description	MSRP \$
LEF2414CA	Canon, 24mm, f/1.4, Auto-Iris Recommended for 4K-7K H4PRO-B Highest image quality available, excellent in low light	3,540.00
LEF2818CA	Canon, 28mm, f/1.8, Auto-Iris Recommended for 4K-7K H4PRO-B Highest image quality, good in low light, excellent value	930.00
LEFS3014SI	Sigma, 30mm, f/1.4, Auto-Iris Recommended for 4K-5K H4PRO-B Highest image quality available, excellent in low light	1,035.00
LEF3514SI	Sigma, 35mm, f/1.4, Auto-Iris Recommended for 4K-7K H4PRO-B Highest image quality available, excellent in low light	2,075.00
LEF4028CA	Canon, 40mm, f/2.8, Auto-Iris Recommended for 4K-7K H4PRO-B Good image quality, excellent value	400.00
LEF5012CA	Canon, 50mm, f/1.2, Auto-Iris Recommended for 4K-7K H4PRO-B Highest image quality available, excellent in low light; use AUX power when used with HD-PRO cameras	3,332.00
LEF5014CA	Canon, 50mm, f/1.4, Auto-Iris Recommended for 4K-7K H4PRO-B Good image quality, excellent in low light, excellent value	834.00
LEF5018CA2	Canon, 50mm, f/1.8, Auto-Iris Recommended for 4K-7K H4PRO-B Good image quality, good in low light, excellent value	320.00
LEF8512CA	Canon, 85mm, f/1.2, Auto-Iris Recommended for 4K-7K H4PRO-B Highest image quality available, excellent in low light	4,105.00
LEF8518CA	Canon, 85mm, f/1.8, Auto-Iris Recommended for 4K-7K H4PRO-B Good image quality, good in low light, excellent value	960.00
LEF10020CA	Canon, 100mm, f/2.0, Auto-Iris Recommended for 4K-7K H4PRO-B Good image quality	907.00
LEF20028CA	Canon, 200mm, f/2.8, Auto-Iris Recommended for 4K-7K H4PRO-B Good image quality Not recommended for low light on HD-PRO cameras	1,920.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Lenses for HD Pro Cameras

Visit sdt.avigilon.com and use the SDT to find the right lens for your camera.

There are other lenses available for Avigilon cameras. If you have requirements for lenses outside what is listed here, please contact Sales at Avigilon.

Variable Focal Length EF Mount Lenses for JPEG2000 HD Pro and H.264 HD Pro Cameras

Model No.	Description	MSRP \$
LEF163528CA2	Canon, 16-35mm, f/2.8L, Auto-Iris, Vari Focal Recommended for 4K-7K H4PRO-B Highest image quality available, vari-focal, use AUX power when used with HD-PRO cameras	4,855.00
LEF247028TA2	Tamron 24-70, f/2.8, Gen 2, Auto-Iris, Vari Focal Recommended for 4K-7K H4PRO-B Highest image quality available, vari-focal	2,249.00
LEFS183518SI	Sigma, 18-35mm, f/1.8, Auto-Iris, Vari Focal Recommended for 4K-5K H4PRO-B Highest image quality available, vari-focal, excellent in low light.	1,660.00
LEF7020028CA	Canon, 70-200mm, f/2.8, Auto-Iris, Vari Focal Recommended for 4K-7K H4PRO-B Highest image quality available, vari-focal Not recommended for low light on HD-PRO cameras	2,709.00
LEF7030040CA	Canon, 70-300mm, f/4-f/5.6, Auto-Iris, Vari Focal Recommended for 4K-7K H4PRO-B Good image quality available, vari-focal, excellent value Not recommended for low light	1,130.00
LEF7030040CA2	Canon, 70-300mm, f/4-f/5.6L, Auto-Iris, Vari Focal Recommended for 4K-7K H4PRO-B Highest image quality available, vari-focal	3,285.00
LEF10040045CA2	Canon, 100-400mm, f/4.5-f/5.6, Auto-Iris, Vari Focal Recommended for 4K-7K H4PRO-B Highest image quality available, vari-focal, use AUX power when used with HD-PRO cameras Not recommended for low light	4,375.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Accessories: Indoor and Outdoor Enclosures

Small Indoor/Outdoor Enclosure for H.264 HD Cameras

Model No.	Description	MSRP \$
ES-HD-HWS-SM	Standard Format Enclosure for Avigilon HD H.264 IP Cameras with 12VDC/24VAC Heater, Wall Bracket and Sunshield. Maximum combined camera and lens length is 9.8" (25 cm).	150.00

Standard Indoor/Outdoor Enclosure for H.264 HD Pro, JPEG2000 HD Pro and H.264 HD Cameras

Model No.	Description	MSRP \$
ES-HD-HWS	Standard Format Enclosure for cameras with 12VDC/24 VAC Heater, Wall Bracket and Sunshield. Maximum combined camera and lens length is 9.8" (25 cm).	225.00
ES-HD-CWS	Standard Format Enclosure for cameras with 12VDC/24 VDC Vented Cooler, Wall Bracket and Sunshield. Maximum combined camera and lens length is 9.8" (25 cm).	330.00

Large Indoor/Outdoor Camera Enclosures for JPEG2000 HD Pro and H.264 HD Pro Cameras

Model No.	Description	MSRP \$
ES-HD-HWS-LG	Large Format Enclosure for Avigilon HD IP Professional Cameras with 12VDC/24VAC Heater, Wall Bracket and Sunshield. Maximum combined camera and lens length is 12.8" (32.5 cm).	415.00
ES-HD-CWS-LG	Large Format Enclosure for Avigilon HD IP Professional Cameras with 12VDC/24VDC Vented Cooler, Wall Bracket and Sunshield. Maximum combined camera and lens length is 12.8" (32.5 cm).	500.00
ES-HD-HS-XL	Extra Large Format Enclosure for Avigilon HD IP Professional Cameras with 24 VAC Triple fan assisted heater. Maximum combined camera and lens length is 20" (51.9 cm).	1,705.00

Enclosure Options

Model No.	Description	MSRP \$
ES-HD-IPM	Optional PoE+ power module. Powers full camera enclosure features & camera with a single Ethernet connection. Compatible with ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG	235.00
ES-HD-MNT-PAR	Pedestal and ceiling mount for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG, ES-HD-CWS-LG or ES-HD-LP-HS enclosure.	110.00
ES-HD-MNT-POLE-LG	Large pole mount for pole diameter 210mm (8.2 in) to 225mm (8.85 in). Compatible with wall arm included with for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG, ES-HD-CWS-LG or ES-HD-LP-HS enclosures when used in conjunction with ES-HD-MNT-PLATE.	160.00
ES-HD-MNT-POLE-MD	Medium pole mount for pole diameter 80mm (3 in) to 150mm (5.9 in). Compatible with wall arm included with for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG, ES-HD-CWS-LG or ES-HD-LP-HS enclosures when used in conjunction with ES-HD-MNT-PLATE. Up to two mounting positions.	190.00
ES-HD-MNT-POLE-SM	Small pole mount for pole diameter 60mm (2.5 in) to 110mm (4.3 in). Compatible with wall arm included with for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG, ES-HD-CWS-LG or ES-HD-LP-HS enclosures Up to two mounting positions.	75.00
ES-HD-MNT-ARM	Ceiling arm mount for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG & ES-HD-CWS-LG.	115.00
ES-HD-MNT-CORNER	Corner mount adapter. Compatible with wall arm included with for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG, ES-HD-CWS-LG or ES-HD-LP-HS enclosures.	65.00
ES-HD-MNT-PLATE	Wall reinforcing wall plate, compatible with wall arm included with for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG, ES-HD-CWS-LG or ES-HD-LP-HS enclosures.	40.00
ES-HD-MNT-WBLA	Ball joint mount for ES-HD-HS-XL	810.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Avigilon Presence Detector

Visit sdt.avigilon.com and use the SDT to find the right camera for your installation.

Avigilon Presence Detector



The Avigilon Presence Detector (APD) sensor is a small form factor impulse radar device with self-learning radar analytics that accurately detects the presence of a person even if they have stopped moving or are hidden. It has the ability to detect presence through blankets, cardboard, wood and drywall. This sensor is designed for indoor locations such as ATM rooms and other closed indoor vestibules within banks, pharmacies, retail stores, prisons, health care facilities and other environments where privacy and highly accurate detection is needed. APD combined with Avigilon Control Center™ video management software provides an easy-to-deploy discreet surveillance solution to address specific deployment scenarios.

Model No.	Description	MSRP \$
APD-S1-D	Avigilon Presence Detector with Ceiling Mount	850.00

Avigilon Presence Detector Accessory

Model No.	Description	MSRP \$
APD-MT-WALL1	Wall or Corner Mount for Avigilon Presence Detector	8.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Avigilon Control Center High Definition License Plate Recognition Capture Kits and Software Modules

Refer to the Avigilon ACC HD LPR Design Guide, available from the Avigilon Partner Resource Center, for additional information on designing and quoting ACC HD LPR Systems. ACC HD LPR requires ACC Enterprise HD NVMS.

LPR (License Plate Recognition), ANPR (Automatic Number Plate Recognition)

H4 HD LPR Capture Kits



The Avigilon H4 Licence Plate Capture (LPC) camera is designed to capture vehicle number plates in applications where it is critical to obtain character recognition at typical vehicle speeds. When used with the Avigilon License Plate Recognition analytics software, the H4 LPC camera is designed to provide accurate results in challenging lighting conditions. Using infrared illumination and white light filtering, the H4 LPC cameras enables the software to accurately identify number plate characters from a range of distances.

One of each of the following parts must be ordered to assemble into a capture kit.

Model No.	Description	MSRP \$
3.0C-HD-LP-B1	Box camera, 3.0 MP, 4.7-84.6mm f/1.6 lens, with visible light blocker	880.00
ES-HD-LP-HS	Standard format enclosure with heater, sunshield and PoE passthrough for a camera. PoE+ powers the camera enclosure and camera using one Ethernet connection.	650.00
ES-HD-IR-IP6	IR illuminator, PoE+, Outdoor, included lens option for 60°, 35°, or 10° horizontal coverage. Included mounting adapter to ES-HD-LP-HS.	670.00

ACC 6 HD LPR Module License

HD Network Video Recorder Standard for LPR

The ACC HD LPR Module License (1LPR-*) software may be installed on HD Network Video Recorder Standard and does not require any additional hardware to operate .

Model No.	Description	MSRP \$
1LPR-ACC6	ACC 6 license to enable 1 lane of LPR. Additional lanes each require a license. Dual lane capture kits require 2 licenses each.	3,200.00

ACC 5 HD LPR Module License

HD Network Video Recorder Standard for LPR

The ACC HD LPR Module License (1LPR-*) software may be installed on HD Network Video Recorder Standard and does not require any additional hardware to operate .

Model No.	Description	MSRP \$
1LPR-ACC5-BASE-M	LPR base license for 1 lane of LPR on a single ACC 5 server. Includes a single USB security dongle.	3,200.00
1LPR-ACC5-ADD	Add-on to add an additional LPR lane to an ACC 5 server, required for a dual lane capture kit or when running multiple HD LPR Capture kits on a single NVR server.	1,500.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Avigilon Control Center High Definition License Plate Recognition Capture Kits and Software Modules

Refer to the Avigilon ACC HD LPR Design Guide, available from the Avigilon Partner Resource Center, for additional information on designing and quoting ACC HD LPR Systems. ACC HD LPR requires ACC Enterprise HD NVMS.

LPR (License Plate Recognition), ANPR (Automatic Number Plate Recognition)

H4 HD LPC Accessories

Model No.	Description	MSRP \$
ES-HD-MNT-PAR	Pedestal and ceiling mount for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG, ES-HD-CWS-LG or ES-HD-LP-HS enclosure.	110.00
ES-HD-MNT-POLE-LG	Large pole mount for pole diameter 210mm (8.2 in) to 225mm (8.85 in). Compatible with wall arm included with for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG, ES-HD-CWS-LG or ES-HD-LP-HS enclosures when used in conjunction with ES-HD-MNT-PLATE.	160.00
ES-HD-MNT-POLE-MD	Medium pole mount for pole diameter 80mm (3 in) to 150mm (5.9 in). Compatible with wall arm included with for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG, ES-HD-CWS-LG or ES-HD-LP-HS enclosures when used in conjunction with ES-HD-MNT-PLATE. Up to two mounting positions.	190.00
ES-HD-MNT-POLE-SM	Small pole mount for pole diameter 60mm (2.5 in) to 110mm (4.3 in). Compatible with wall arm included with for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG, ES-HD-CWS-LG or ES-HD-LP-HS enclosures Up to two mounting positions.	75.00
ES-HD-MNT-CORNER	Corner mount adapter. Compatible with wall arm included with for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG, ES-HD-CWS-LG or ES-HD-LP-HS enclosures.	65.00
ES-HD-MNT-PLATE	Wall reinforcing wall plate, compatible with wall arm included with for ES-HD-HWS-SM, ES-HD-HWS, ES-HD-CWS, ES-HD-HWS-LG, ES-HD-CWS-LG or ES-HD-LP-HS enclosures.	40.00
ES-PS-S4	Managed switch, 5 port, Outdoor IP66, -40°C (-40°F) to 50°C (122°C), Gigabit Ethernet, AC power input. 1x SFP uplink and 4 port RJ45. Maximum PoE power allocation: Up to 4 ports of PoE+ each, or 2 ports of 60W PoE each. In 60W PoE mode, compatible with all H4 PTZ and H4 IR PTZ.	1,130.00
ES-PS-MNT-POLE	Pole mount bracket for ES-PS-S4 switch.	70.00

Using both ACC 6 HD LPR and ACC 5 HD LPR module licenses on a single server is not supported.

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Avigilon Professional Services

Please contact an Avigilon Sales Engineer to discuss your needs before purchasing.

Purchased Professional Services – Terms of Use

The purchase and use of ACC Professional Services (“Professional Services”) is subject to the following principal terms of use. In purchasing and using the Professional Services, the purchasing entity (the “Purchaser”) acknowledges and agrees to these terms of use.

For the purposes of these terms of use, “Avigilon” means, collectively, Avigilon Corporation and its affiliates, and their respective directors, officers, employees and consultants.

1. Avigilon will take commercially reasonable efforts to provide the Professional Services in a timely and diligent manner. Avigilon will not be responsible or liable for any damage inflicted on the Purchaser (or any other person) as a direct or indirect consequence of Avigilon being delayed or prevented in providing the Professional Services due to circumstances beyond the reasonable control of Avigilon.
2. The Professional Services are advisory services only and not a substitute or replacement for the duties, obligations and responsibilities the Purchaser has to its clients (collectively, the “Purchaser’s Duties”). For greater certainty, the purchase and use of the Professional Services by the Purchaser does not, in any manner: (a) transfer any of the Purchaser’s Duties (or portion thereof) from the Purchaser to Avigilon; (b) obligate Avigilon to complete or provide the work or services the Purchaser’s clients have purchased from the Purchaser; or (c) guarantee that any issues the Purchaser is having with fulfilling the Purchaser’s Duties (or portion thereof) will be satisfactorily resolved.
3. Any payment for the Professional Services is non-refundable, irrespective of whether or not the Purchaser is able to fulfill the Purchaser’s Duties.
4. Professional Services are available to the Purchaser only and may not be assigned (in whole or in part).

Model No.	Description	MSRP \$
PRO-ACC-REMOTE-4H	ACC Professional Services, 4 hours remote consulting	2,500.00
PRO-ACC-REMOTE-8H	ACC Professional Services, 8 hours remote consulting	5,000.00
PRO-ACC-ONSITE-8H	ACC Professional Services, 8 hours on-site consulting (Includes all travel costs)	8,000.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Discontinued Products

Third Generation Professional Remote Monitoring Workstations

Avigilon Control Center Professional high performance remote monitoring workstations are intended for use with Avigilon Control Center 5 and 6 HD NVMS. Avigilon Control Center Client is preloaded and a keyboard and mouse are included, a display monitor is not included. Visit sdt.avigilon.com and use the SDT to find the right HD NVR for your installation. All HD NVRs are sold without an Avigilon Control Center license which must be purchased separately.

Model No.	Description	MSRP \$
HD-RMWS3-4MN-UK	Avigilon Control Center Professional high performance remote monitoring workstation for viewing on up to four monitors.	3,475.00

First Generation HD Video Appliance Pro



The following products will be available for sale while quantities last.

The HD Video Appliance Pro is a turnkey product that combines a 16 or 24-port Power-over-Ethernet (PoE) network switch along with full video management server and client software capabilities into a single compact form factor. The HD Video Appliance is powered by Avigilon's market-leading ACC software and comes pre-installed with Standard edition licensing included (activation required).

Model No.	Description	MSRP \$
VMA-AS1-16P06	HD Video Appliance Pro 16-port 6TB unit with ACC Standard 16-ch license	5,850.00
VMA-AS1-16P06-AU	HD Video Appliance Pro 16-port 6TB unit with ACC Standard 16-ch license	5,850.00
VMA-AS1-16P06-UK	HD Video Appliance Pro 16-port 6TB unit with ACC Standard 16-ch license	5,850.00
VMA-AS1-16P09	HD Video Appliance Pro 16-port 9TB unit with ACC Standard 16-ch license	6,600.00
VMA-AS1-16P09-AU	HD Video Appliance Pro 16-port 9TB unit with ACC Standard 16-ch license	6,600.00
VMA-AS1-16P09-UK	HD Video Appliance Pro 16-port 9TB unit with ACC Standard 16-ch license	6,600.00
VMA-AS1-16P12-AU	HD Video Appliance Pro 16-port 12TB unit with ACC Standard 16-ch license	7,650.00
VMA-AS1-16P12-UK	HD Video Appliance Pro 16-port 12TB unit with ACC Standard 16-ch license	7,650.00
VMA-AS1-24P09	HD Video Appliance Pro 24-port 9TB unit with ACC Standard 24-ch license	8,100.00
VMA-AS1-24P09-AU	HD Video Appliance Pro 24-port 9TB unit with ACC Standard 24-ch license	8,100.00
VMA-AS1-24P09-UK	HD Video Appliance Pro 24-port 9TB unit with ACC Standard 24-ch license	8,100.00
VMA-AS1-24P12	HD Video Appliance Pro 24-port 12TB unit with ACC Standard 24-ch license	9,000.00
VMA-AS1-24P12-AU	HD Video Appliance Pro 24-port 12TB unit with ACC Standard 24-ch license	9,000.00
VMA-AS1-24P12-UK	HD Video Appliance Pro 24-port 12TB unit with ACC Standard 24-ch license	9,000.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Discontinued Products

1.0 Megapixel H3 HD Dome Cameras



The following cameras will be available for sale while supplies last.

Model No.	Description	MSRP \$
1.0-H3-D1	1.0 Megapixel (720p) Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens	325.00
1.0-H3-D1-IR	1.0 Megapixel (720p) Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	360.00
1.0-H3-DO1	1.0 Megapixel (720p) Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens	400.00
1.0-H3-DO1-IR	1.0 Megapixel (720p) Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	435.00
1.0-H3-DP1	1.0 Megapixel (720p) Day/Night Pendant Dome, 3-9mm f/1.2 P-iris lens	400.00
1.0-H3-DC1	1.0 Megapixel (720p) Day/Night In-Ceiling Dome, 3-9mm f/1.2 P-iris lens	350.00
1.0-H3-D2	1.0 Megapixel (720p) Day/Night Indoor Dome, 9-22mm f/1.6 P-iris lens	375.00
1.0-H3-DO2	1.0 Megapixel (720p) Day/Night Outdoor Dome, 9-22mm f/1.6 P-iris lens	450.00
1.0-H3-DP2	1.0 Megapixel (720p) Day/Night Pendant Dome, 9-22mm f/1.6 P-iris lens	450.00
1.0-H3-DC2	1.0 Megapixel (720p) Day/Night In-Ceiling Dome, 9-22mm f/1.6 P-iris lens	400.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Discontinued Products

2.0 Megapixel H3 HD Dome Cameras



The following cameras will be available for sale while supplies last.

Model No.	Description	MSRP \$
2.0-H3-D1	2.0 Megapixel (1080p) Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens	375.00
2.0-H3-D1-IR	2.0 Megapixel (1080p) Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	410.00
2.0-H3-DO1	2.0 Megapixel (1080p) Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens	450.00
2.0-H3-DO1-IR	2.0 Megapixel (1080p) Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	485.00
2.0-H3-DP1	2.0 Megapixel (1080p) Day/Night Pendant Dome, 3-9mm f/1.2 P-iris lens	450.00
2.0-H3-DC1	2.0 Megapixel (1080p) Day/Night In-Ceiling Dome, 3-9mm f/1.2 P-iris lens	400.00
2.0-H3-D2	2.0 Megapixel (1080p) Day/Night Indoor Dome, 9-22mm f/1.6 P-iris lens	425.00
2.0-H3-DO2	2.0 Megapixel (1080p) Day/Night Outdoor Dome, 9-22mm f/1.6 P-iris lens	500.00
2.0-H3-DP2	2.0 Megapixel (1080p) Day/Night Pendant Dome, 9-22mm f/1.6 P-iris lens	500.00
2.0-H3-DC2	2.0 Megapixel (1080p) Day/Night In-Ceiling Dome, 9-22mm f/1.6 P-iris lens	450.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Discontinued Products

3.0 Megapixel H3 HD Dome Cameras



The following cameras will be available for sale while supplies last.

Model No.	Description	MSRP \$
3.0W-H3-D1	3.0 Megapixel WDR Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens	425.00
3.0W-H3-D1-IR	3.0 Megapixel WDR Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	460.00
3.0W-H3-DO1	3.0 Megapixel WDR Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens	500.00
3.0W-H3-DO1-IR	3.0 Megapixel WDR Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	535.00
3.0W-H3-DP1	3.0 Megapixel WDR Day/Night Pendant Dome, 3-9mm f/1.2 P-iris lens	500.00
3.0W-H3-DC1	3.0 Megapixel WDR Day/Night In-Ceiling Dome, 3-9mm f/1.2 P-iris lens	450.00
3.0W-H3-D2	3.0 Megapixel WDR Day/Night Indoor Dome, 9-22mm f/1.6 P-iris lens	475.00
3.0W-H3-DO2	3.0 Megapixel WDR Day/Night Outdoor Dome, 9-22mm f/1.6 P-iris lens	550.00
3.0W-H3-DP2	3.0 Megapixel WDR Day/Night Pendant Dome, 9-22mm f/1.6 P-iris lens	550.00
3.0W-H3-DC2	3.0 Megapixel WDR Day/Night In-Ceiling Dome, 9-22mm f/1.6 P-iris lens	500.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Discontinued Products

5.0 Megapixel H3 HD Dome Cameras



The following cameras will be available for sale while supplies last.

Model No.	Description	MSRP \$
5.0-H3-D1	5.0 Megapixel Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens	525.00
5.0-H3-D1-IR	5.0 Megapixel Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	560.00
5.0-H3-DO1	5.0 Megapixel Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens	600.00
5.0-H3-DO1-IR	5.0 Megapixel Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens, IR Illuminator	635.00
5.0-H3-DP1	5.0 Megapixel Day/Night Pendant Dome, 3-9mm f/1.2 P-iris lens	600.00
5.0-H3-DC1	5.0 Megapixel Day/Night In-Ceiling Dome, 3-9mm f/1.2 P-iris lens	550.00
5.0-H3-D2	5.0 Megapixel Day/Night Indoor Dome, 9-22mm f/1.6 P-iris lens	575.00
5.0-H3-DO2	5.0 Megapixel Day/Night Outdoor Dome, 9-22mm f/1.6 P-iris lens	650.00
5.0-H3-DP2	5.0 Megapixel Day/Night Pendant Dome, 9-22mm f/1.6 P-iris lens	650.00
5.0-H3-DC2	5.0 Megapixel Day/Night In-Ceiling Dome, 9-22mm f/1.6 P-iris lens	600.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Discontinued Products

H3 HD Cameras



The following cameras will be available for sale while supplies last.

Model No.	Description	MSRP \$
1.0-H3-B2	1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens	325.00
1.0-H3-B3	1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens	375.00
1.0-H3-B1	1.0 Megapixel (720p) Day/Night, 4.7-84.6mm f/1.6 lens	400.00
2.0-H3-B2	2.0 Megapixel (1080p) Day/Night, 3-9mm f/1.2 P-iris lens	375.00
2.0-H3-B3	2.0 Megapixel (1080p) Day/Night, 9-22mm f/1.6 P-iris lens	425.00
2.0-H3-B1	2.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens	450.00
3.0W-H3-B2	3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens	425.00
3.0W-H3-B3	3.0 Megapixel WDR Day/Night, 9-22mm f/1.6 P-iris lens	475.00
5.0-H3-B2	5.0 Megapixel Day/Night 3-9mm f/1.2 P-Iris lens	525.00
5.0-H3-B3	5.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens	575.00

H3 HD Bullet Cameras



The following cameras will be available for sale while supplies last.

Model No.	Description	MSRP \$
1.0W-H3-BO1-IR	1.0 Megapixel (720p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage	435.00
1.0W-H3-BO2-IR	1.0 Megapixel (720p) WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage	485.00
2.0W-H3-BO1-IR	2.0 Megapixel (1080p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage	485.00
2.0W-H3-BO2-IR	2.0 Megapixel (1080p) WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage	535.00
3.0W-H3-BO1-IR	3.0 Megapixel WDR, 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage	535.00
3.0W-H3-BO2-IR	3.0 Megapixel WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage	585.00
5.0-H3-BO1-IR	5.0 Megapixel 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage	635.00
5.0-H3-BO2-IR	5.0 Megapixel 9-22mm f/1.6 P-Iris lens, Integrated IR, Onboard storage	685.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Discontinued Products

H3 Micro Dome



The following cameras will be available for sale while supplies last.

Model No.	Description	MSRP \$
1.0-H3M-DC1-BL	1.0 Megapixel (720p) Indoor In-Ceiling Micro Dome, 2.8mm f/1.6 lens, Black	250.00
2.0-H3M-DC1-BL	2.0 Megapixel (1080p) Indoor In-Ceiling Micro Dome, 2.8mm f/1.6 lens, Black	340.00
1.0-H3M-DP1	1.0 Megapixel (720p) Pendant Micro Dome, 2.8mm f/1.6 lens	250.00
1.0-H3M-DP1-BL	1.0 Megapixel (720p) Pendant Micro Dome, 2.8mm f/1.6 lens, Black	250.00
2.0-H3M-DP1	2.0 Megapixel (1080p) Pendant Micro Dome, 2.8mm f/1.6 lens	340.00
2.0-H3M-DP1-BL	2.0 Megapixel (1080p) Pendant Micro Dome, 2.8mm f/1.6 lens, Black	340.00

Discontinued Lenses for HD Pro Cameras

The following products will be available while quantities last.

Model No.	Description	MSRP \$
LEF247028TA	Tamron 24-70, f/2.8, Auto-Iris, Vari Focal Recommended for 4K-7K H4PRO-B Highest image quality available, vari-focal Not recommended for low light on HD-PRO cameras	1,895.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Legacy Products

The following are legacy products or accessories for legacy products.

First Generation HD Video Appliance Pro Accessories (Not Applicable to 8-port)

Model No.	Description	MSRP \$
VMA-AS1-HDDP02	HARD DRIVE, 2TB, HD Video Appliance Pro	405.00
VMA-AS1-HDDP03	HARD DRIVE, 3TB, HD Video Appliance Pro	575.00
VMA-AS1-HDDP04	HARD DRIVE, 4TB, HD Video Appliance Pro	725.00

First Generation HD Video Appliance Accessories

The following products will be available while quantities last.

Model No.	Description	MSRP \$
VMA-AS1-8PRMS1U	1U Rack mount shelf for HD Video Appliance 8-port	85.00
VMA-AS1-8PPS	HD Video Appliance 8-port - Power Supply - 200W External, power cord not included	185.00

H3 HD Dome Camera Accessories

Model No.	Description	MSRP \$
H3-D-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for indoor domes.	40.00
H3-D-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for indoor domes. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications or with the integrated IR illuminator.	40.00
H3-DC-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for in-ceiling domes.	40.00
H3-DC-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for in-ceiling domes. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications.	40.00
H3-DC-PNL	Metal ceiling panel for use with H3-DC in-ceiling dome cameras to replace or reinforce the existing ceiling tile in suspended ceiling installations.	95.00
H3-DOP-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for outdoor and pendant domes.	60.00
H3-DOP-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for outdoor and pendant domes. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications or with the integrated IR illuminator.	60.00
CAM-ACCS-H3-D-PLUG	Replacement H3 Dome NPT Plugs, pack of 6	20.00
MNT-PEND-WALL	Compact wall bracket for use with H3PTZ-DP and H3-DP Pendant Dome Cameras	90.00
MNT-AD-POLE-B	Pole mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	90.00
MNT-AD-CORNER	Corner mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	90.00

H3 HD Bullet Camera Accessories

Model No.	Description	MSRP \$
H3-BO-SHLD1	Replacement sun shield for H3 bullet cameras	15.00
H3-BO-JB	Junction box for the H3-BO-IR HD Bullet Cameras	95.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Legacy Products

The following are legacy products or accessories for legacy products.

H3 Microdome Accessories

Model No.	Description	MSRP \$
H3-MC-CLER1	Replacement clear transparent cover, includes dome bubble and gray trim for in-ceiling microdomes.	12.00
H3-MC-CLER1-BL	Replacement clear transparent cover, includes dome bubble and black trim for in-ceiling microdomes.	12.00

JPEG2000 HD Dome Camera Accessories

Model No.	Description	MSRP \$
DOME-CLEAR	Replacement clear dome bubble and trim for JPEG2000 Panoramic and JPEG2000 dome cameras.	17.00
DOME-CVR-CLEAR	Replacement dome bubble for JPEG2000 Dome and JPEG2000 Panoramic cameras.	84.00
DOME-INDE-PLT	Indoor electrical box mounting plate add-on, allows mounting with side cable access and mounting to a 4S electrical box.	20.00
DOME-SMOKE	Replacement smoked transparent dome and trim for JPEG2000 Panoramic and JPEG2000 dome cameras. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications.	10.00
DOME-OD-BASE	Outdoor mounting base add-on, creates an IP66 seal and allows conduit connection and pipe mounting.	23.00
DOME-OD-PEND	Indoor/Outdoor pendant mount, creates an IP66 sealed enclosure for connection to industry standard pendant wall brackets.	23.00
DOME-IND-CEL	Indoor in-ceiling mount add-on adapter allows the camera to be ceiling mounted with only the external clear bubble showing.	95.00
IND-CEL-PNL	Metal ceiling panel for use with the DOME-IND-CEL to replace or reinforce the existing ceiling tile in suspended ceiling installations.	87.00

All prices are exclusive of taxes and freight. Avigilon reserves the right to make changes to pricing and discount margins. All installation and use of Avigilon software is governed by its end user license agreement (EULA). Contact Avigilon or visit www.avigilon.com to get a copy of the EULA.

Avigilon Warranty & Support Information

For warranty terms and conditions applicable to Avigilon's hardware products (including the availability of an extended warranty for certain products), and Avigilon's Return and Repair Policy, please refer to the Avigilon Warranty and Product Policies available at www.avigilon.com/warranty <<http://www.avigilon.com/warranty>>

Warranty service and technical support can be obtained by contacting Avigilon Technical Support : www.avigilon.com/contact-us/ <<http://www.avigilon.com/contact-us/>>

For the service warranty applicable to the Avigilon Blue™ platform, refer to the Terms and Conditions of Service for Avigilon Blue™ available at <https://help.avigilon.com/blue/#0Common/legal.htm> <<https://help.avigilon.com/blue/>>

Extended Warranty for Avigilon Camera, Presence Detector, Encoder, NVR Hardware, Avigilon Blue Connect Device, and Access Control Manager Appliance

The warranty period for Avigilon cameras, encoders, NVR hardware (including rackmount NVRs, workstations, and remote monitoring workstations), and ACM appliances can be extended up to a total warranty period of 5 years. Avigilon camera, presence detector, encoder, Avigilon Blue Connect Device, and ACM appliance warranties can be extended at a cost of 10% of the purchase price of the product per year of additional warranty coverage. NVR hardware warranty can be extended at a cost as outlined in the price list. The original consumer purchaser may purchase this extended warranty from an authorized reseller of Avigilon products at the time of purchase of the applicable product, or within 1 year (or 3 years in the case of NVR hardware) of shipment of such product from Avigilon. Notwithstanding the foregoing, the extended warranty does not apply to moving parts of pan-tilt-zoom cameras.

Index

Page	Description
3	Avigilon Control Center 6 High Definition Network Video Management Software
6	Avigilon Control Center (ACC) 6: SDK (Software Development Kit), 3rd Party Integration Licensing, and POS (Point of Sale) Transaction Engine
8	Avigilon Control Center 5 High Definition Network Video Management Software
10	Avigilon Control Center: SDK (Software Development Kit), 3rd Party Integration Licensing, and POS (Point of Sale) Transaction Engine
12	HD Network Video Recorders
17	Artificial Intelligence Appliances
18	HD Video Appliances
20	ACC Edge Solutions
22	HD Professional Workstations
26	Networking
28	Analog Video Encoders
29	Video Accessories
30	H4 HD Cameras with Self-Learning Video Analytics
39	H4 Edge Solution (ES) with Self-Learning Video Analytics
42	H4 SL Camera Line
44	H4 Mini Dome Cameras
45	H4 PTZ Camera Line
48	H4 IR PTZ Camera Line
50	H4 Fisheye Camera Line, HD Multi-Sensor Cameras
52	H4 Thermal Camera Line
53	H4 Video Intercom
54	HD Pro Cameras
55	Lenses for HD Pro Cameras
57	Accessories: Indoor and Outdoor Enclosures
58	Avigilon Presence Detector
59	Avigilon Control Center High Definition License Plate Recognition Capture Kits and Software Modules
61	Avigilon Professional Services
62	Discontinued Products
69	Legacy Products
71	Avigilon Warranty & Support Information

THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.

ADDITIONAL INSURED – OWNERS, LESSEES OR CONTRACTORS – COMPLETED OPERATIONS

This endorsement modifies insurance provided under the following:

COMMERCIAL GENERAL LIABILITY COVERAGE PART
PRODUCTS/COMPLETED OPERATIONS LIABILITY COVERAGE PART

SCHEDULE

Name Of Additional Insured Person(s) Or Organization(s)	Location And Description Of Completed Operations
Any person or organization required by contract	
Information required to complete this Schedule, if not shown above, will be shown in the Declarations.	

A. Section II – Who Is An Insured is amended to include as an additional insured the person(s) or organization(s) shown in the Schedule, but only with respect to liability for "bodily injury" or "property damage" caused, in whole or in part, by "your work" at the location designated and described in the Schedule of this endorsement performed for that additional insured and included in the "products-completed operations hazard".

However:

1. The insurance afforded to such additional insured only applies to the extent permitted by law; and
2. If coverage provided to the additional insured is required by a contract or agreement, the insurance afforded to such additional insured will not be broader than that which you are required by the contract or agreement to provide for such additional insured.

B. With respect to the insurance afforded to these additional insureds, the following is added to Section III – Limits Of Insurance:

If coverage provided to the additional insured is required by a contract or agreement, the most we will pay on behalf of the additional insured is the amount of insurance:

1. Required by the contract or agreement; or
2. Available under the applicable Limits of Insurance shown in the Declarations;

whichever is less.

This endorsement shall not increase the applicable Limits of Insurance shown in the Declarations.

THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.

**ADDITIONAL INSURED – STATE OR GOVERNMENTAL
AGENCY OR SUBDIVISION OR POLITICAL
SUBDIVISION – PERMITS OR AUTHORIZATIONS**

This endorsement modifies insurance provided under the following:

COMMERCIAL GENERAL LIABILITY COVERAGE PART

SCHEDULE

<p>State Or Governmental Agency Or Subdivision Or Political Subdivision:</p> <p>“any person or organization required by contract”</p>
<p>Information required to complete this Schedule, if not shown above, will be shown in the Declarations.</p>

A. Section II – Who Is An Insured is amended to include as an additional insured any state or governmental agency or subdivision or political subdivision shown in the Schedule, subject to the following provisions:

1. This insurance applies only with respect to operations performed by you or on your behalf for which the state or governmental agency or subdivision or political subdivision has issued a permit or authorization.

However:

- a. The insurance afforded to such additional insured only applies to the extent permitted by law; and
- b. If coverage provided to the additional insured is required by a contract or agreement, the insurance afforded to such additional insured will not be broader than that which you are required by the contract or agreement to provide for such additional insured.

2. This insurance does not apply to:

- a. "Bodily injury", "property damage" or "personal and advertising injury" arising out of operations performed for the federal government, state or municipality; or
- b. "Bodily injury" or "property damage" included within the "products-completed operations hazard".

B. With respect to the insurance afforded to these additional insureds, the following is added to Section III – Limits Of Insurance:

If coverage provided to the additional insured is required by a contract or agreement, the most we will pay on behalf of the additional insured is the amount of insurance:

- 1. Required by the contract or agreement; or
 - 2. Available under the applicable Limits of Insurance shown in the Declarations;
- whichever is less.

This endorsement shall not increase the applicable Limits of Insurance shown in the Declarations.



THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.

**WORKERS' COMPENSATION BROAD FORM ENDORSEMENT
EXTENDED OPTIONS**

Policy Number: 91WECJZ5927
Effective Date: 12/31/2017
Named Insured and Address:
Inteconnect Inc dba Inteconnex
1065 Sierra Ct NE Ste A
Cedar Rapids IA 52402

Section I of this endorsement expands coverage provided under WC 00 00 00.
Section II of this endorsement provides additional coverage usually only provided by endorsement.
Section III of this endorsement is a Schedule of Covered States.
You may use the Index to locate these coverage features quickly:

INDEX

<u>SUBJECT</u>	<u>PAGE</u>	<u>SUBJECT</u>	<u>PAGE</u>
SECTION I	2	B. Part One Does Not Apply	3
PARTS ONE and TWO	2	C. Application of Coverage	3
01 We Will Also Pay	2	D. Additional Exclusions	3
PART - THREE	2	E. West Virginia	3
02 How This Insurance Works	2	EXTENDED OPTIONS	4
PART - SIX	2	01 Employers' Liability Insurance	4
03 Transfer of Your Rights and Duties	2	02 Unintentional Failure to Disclose Hazards	4
04 Cancellation	2	03 Waiver of Our Right to Recover from Others	4
05 Liberalization	2	04 Foreign Voluntary Compensation	4
SECTION II	2	A. How This Reimbursement Applies	4
VOLUNTARY COMPENSATION INSURANCE	2	B. We Will Reimburse	4
06 Voluntary Compensation Insurance	2	C. Exclusions	4
A. How This Insurance Applies	2	D. Before We Pay	5
B. We Will Pay	3	E. Recovery From Others	5
C. Exclusions	3	F. Reimbursement For Actual Loss Sustained	5
D. Before We Pay	3	G. Repatriation	5
E. Recovery From Others	3	H. Endemic Disease	5
F. Employers' Liability Insurance	3	05 Longshore and Harbor Workers' Compensation Act Coverage Endorsement	5
EMPLOYERS' LIABILITY STOP GAP ENDORSEMENT	3	SECTION III	6
07 Employers' Liability Stop Gap Coverage	3	01 Schedule of Covered States	6
A. Stop Gap Coverage Limited to Montana, North Dakota, Ohio, Washington, West Virginia and Wyoming	3		

SECTION I

PARTS ONE and TWO

1. WE WILL ALSO PAY

D. We Will Also Pay of Part One (WORKERS' COMPENSATION INSURANCE); and

E. We Will Also Pay of Part Two (EMPLOYERS' LIABILITY INSURANCE) is replaced by the following:

We Will Also Pay

We will also pay these costs, in addition to other amounts payable under this insurance, as part of any claim, proceeding, or suit we defend:

1. reasonable expenses incurred at our request, **INCLUDING** loss of earnings;
2. premiums for bonds to release attachments and for appeal bonds in bond amounts up to the limit of our liability under this insurance;
3. litigation costs taxed against you;
4. interest on a judgment as required by law until we offer the amount due under this law; and
5. expenses we incur.

PART THREE

2. How This Insurance Applies

Paragraph 4. of A. How This Insurance Applies of Part 3 (Other States Insurance) is replaced by the following:

4. If you have work on the effective date of this policy in any state not listed in Item 3.A. of

the Information Page, coverage will not be afforded for that state unless we are notified within **sixty** days.

PART SIX

3. Transfer Of Your Rights and Duties

C. Transfer Of Your Rights and Duties of Part 6 (Conditions) is replaced by the following:

Your rights or duties under this policy may not be transferred without our written consent.

If you die and we receive notice within **sixty** days after your death, we will cover your legal representative as insured.

4. Cancellation

Paragraph 2. of D. Cancellation of Part 6 (Conditions) is replaced by the following:

2. We may cancel this policy. We must mail or deliver to you not less than **15** days advance written notice stating when the cancellation is to take effect. Mailing that notice to you at your mailing address shown in Item 1 of the Information Page will be sufficient to prove notice.

5. Liberalization

If we adopt a change in this form that would broaden the coverage of this form without extra charge, the broader coverage will apply to this policy. It will apply when the change becomes effective in your state.

SECTION II

VOLUNTARY COMPENSATION AND EMPLOYERS' LIABILITY COVERAGE

6. Voluntary Compensation Insurance

A. How This Insurance Applies

This insurance applies to bodily injury by accident or bodily injury by disease. Bodily injury includes resulting death.

1. The bodily injury must be sustained by any officer or employee not subject to the workers' compensation law of any state shown in Item 3.A. of the Information Page.

2. The bodily injury must arise out of and in the course of employment or incidental to work in a state shown in Item 3.A. of the Information Page.

3. The bodily injury must occur in the United States of America, its territories or possessions, or Canada, and may occur elsewhere if the employee is a United States or Canadian citizen, or otherwise legal resident, and legally employed, in the United States or Canada and temporarily away from those places.

4. Bodily injury by accident must occur during the policy period.
5. Bodily injury by disease must be caused or aggravated by the conditions of the officer's or employee's employment. The officer's or employee's last day of last exposure to the conditions causing or aggravating such bodily injury by disease must occur during the policy period.

B. We Will Pay

We will pay an amount equal to the benefits that would be required of you as if you and your employees were subject to the workers' compensation law of any state shown in Item 3.A. of the Information Page. We will pay those amounts to the persons who would be entitled to them under the law.

C. Exclusion

This insurance does not cover:

1. any obligation imposed by workers' compensation or occupational disease law or any similar law.
2. bodily injury intentionally caused or aggravated by you.
3. officers or employees who have elected not to be subject to the state workers' compensation law.
4. partners or sole proprietors not covered under the Standard Sole Proprietors, Partners, Officers and Others Coverage Endorsement.

D. Before We Pay

Before we pay benefits to the persons entitled to them, they must:

1. Release you and us, in writing, of all responsibility for the injury or death.
2. Transfer to us their right to recover from others who may be responsible for the injury or death.
3. Cooperate with us and do everything necessary to enable us to enforce the right to recover from others.

If the persons entitled to the benefits of this insurance fail to do those things, our duty to pay ends at once. If they claim damages from you or from us for the injury or death, our duty to pay ends at once.

E. Recovery From Others

If we make a recovery from others, we will

keep an amount equal to our expenses of recovery and the benefits we paid. We will pay the balance to the persons entitled to it. If the persons entitled to the benefits of this insurance make a recovery from others, they must reimburse us for the benefits we paid them.

F. Employers' Liability Insurance

Part Two (Employers' Liability Insurance) applies to bodily injury covered by this endorsement as though the State of Employment was shown in Item 3.A. of the Information Page.

This provision 6. does not apply in New Jersey or Wisconsin.

EMPLOYERS' LIABILITY STOP GAP COVERAGE

7. Employers' Liability Stop Gap Coverage

- A. This coverage only applies in Montana, North Dakota, Ohio, Washington, West Virginia and Wyoming.
- B. Part One (Workers' Compensation Insurance) does not apply to work in states shown in Paragraph A above.
- C. Part Two (Employers' Liability Insurance) applies in the states, shown in Paragraph A., as though they were shown in Item 3.A. of the Information Page.
- D. Part Two, Section C. **Exclusions** is changed by adding these exclusions:

This insurance does not cover;

5. bodily injury intentionally caused or aggravated by you or in Ohio bodily injury resulting from an act which is determined by an Ohio court of law to have been committed by you with the belief that an injury is substantially certain to occur. However, the cost of defending such claims or suits in Ohio is covered.
13. bodily injury sustained by any member of the flying crew of any aircraft.
14. any claim for bodily injury with respect to which you are deprived of any defense or defenses or are otherwise subject to penalty because of default in premium under the provisions of the workers' compensation law or laws of a state shown in Paragraph A.

- E. This insurance applies to damages for which you are liable under West Virginia Code Annot. S 23-4-2.

EXTENDED OPTIONS

1. Employers' Liability Insurance

Item 3.B. of the Information Page is replaced by the following:

B. Employers' Liability Insurance:

1. **Part Two** of the policy applies to work in each state listed in Item 3.A.

The Limits of Liability under Part Two are the higher of:

Bodily Injury by Accident	\$500,000	Each Accident
--------------------------------------	------------------	----------------------

Bodily Injury by Disease	\$500,000	Policy Limit
-------------------------------------	------------------	---------------------

Bodily Injury by Disease	\$500,000	Each Employee
-------------------------------------	------------------	----------------------

OR

2. The amount shown in the Information Page.

This provision 1 of **EXTENDED OPTIONS** does not apply in New York because the Limits Of Our Liability are unlimited.

In this provision the limits are changed from **\$500,000** to **\$1,000,000** in California.

2. Unintentional Failure to Disclose Hazards

If you unintentionally should fail to disclose all existing hazards at the inception date of your policy, we shall not deny coverage under this policy because of such failure.

3. Waiver of Our Right To Recover From Others

A. We have the right to recover our payments from anyone liable for an injury covered by this policy. We will not enforce our right against any person or organization for whom you perform work under a written contract that requires you to obtain this agreement from us.

This agreement shall not operate directly or indirectly to benefit anyone not named in the agreement.

B. This provision 3. does not apply in the states of Pennsylvania and Utah.

4. Foreign Voluntary Compensation and Employers' Liability Reimbursement

A. How This Reimbursement Applies

This reimbursement provision applies to bodily injury by accident or bodily injury by disease. Bodily injury includes resulting death.

1. The bodily injury must be sustained by an officer or employee.
2. The bodily injury must occur in the course of employment necessary or incidental to work in a country not listed in Exclusion C.1. of this provision.
3. Bodily injury by accident must occur during the policy period.
4. Bodily injury by disease must be caused or aggravated by the conditions of your employment. The officer or employee's last exposure to those conditions of your employment must occur during the policy period.

B. We Will Reimburse

We will reimburse you for all amounts paid by you whether such amounts are:

1. voluntary payments for the benefits that would be required of you if you and your officers or employees were subject to any workers' compensation law of the state of hire of the individual employee.
2. sums to which Part Two (Employers' Liability Insurance) would apply if the Country of Employment were shown in Item 3.A. of the Information Page.

C. Exclusions

This insurance does not cover:

1. any occurrences in the United States, Canada, and any country or jurisdiction which is the subject of trade or economic sanctions imposed by the laws or regulations of the United States of America in effect as of the inception date of this policy.
2. any obligation imposed by a workers' compensation or occupational disease law, or similar law.
3. bodily injury intentionally caused or aggravated by you.

4. liability for any consequence, whether direct or indirect, of war, invasion, act of Foreign enemy, hostilities (whether war be declared or not), civil war, rebellion, revolution, insurrection or military or usurped power. No endorsement now or subsequently attached to this policy shall be construed as overriding or waiving this limitation unless specific reference is made thereto.

D. Before We Pay

Before we reimburse you for the benefits to the persons entitled to them, you must have them:

1. release you and us, in writing, of all responsibility for the injury or death,
2. transfer to us their right to recover from others who may be responsible for their injury or death,
3. cooperate with us and do everything necessary to enable us to enforce the right to recover from others.

If the persons entitled to the benefits paid fail to do these things, our duty to reimburse ends at once. If they claim damages from us for the injury or death, our duty to reimburse ends at once.

E. Recovery From Others

If we make a recovery from others, we will keep an amount equal to our expenses of recovery and the benefits we reimbursed. We will pay the balance to the persons entitled to it. If persons entitled to the benefits make a recovery from others, they must repay us for the amounts that we have reimbursed you.

F. Reimbursement for Actual Loss Sustained

This endorsement provides only for reimbursement for the loss you actually sustain. In order for you to recover loss or expenses under this reimbursement you must:

1. actually sustain and pay the loss or expense in money after trial, or
2. secure our consent for the payment of the loss or expense.

G. Repatriation

Our reimbursement includes the additional expenses of repatriation to the United States

of America necessarily incurred as a direct result of bodily injury.

Our reimbursement shall be limited as follows:

1. to the amount by which such expenses exceed the normal cost of returning the officer or employee if in good health, or
2. in the event of death, to the amount by which such expenses exceed the normal cost of returning the officer or employee if alive and in good health.

In no event shall our reimbursement exceed the bodily injury by accident limit shown in Item 3.B. of the Information Page as respects any one such officer or employee whether dead or alive.

H. Endemic Disease

The word "disease" includes any endemic diseases.

The coverage applies as if endemic diseases were included in the provisions of the workers' compensation law.

5. Longshore and Harbor Workers' Compensation Act Coverage

General Section C. Workers' Compensation Law is replaced by the following:

C. Workers' Compensation Law

Workers' Compensation Law means the workers or workers' compensation law and occupational disease law of each state or territory named in Item 3.A. of the Information Page and the Longshore and Harbor Workers' Compensation Act (33 USC Sections 901-950). It includes any amendments to those laws that are in effect during the policy period. It does not include any other federal workers or workers' compensation law, other federal occupational disease law or the provisions of any law that provide nonoccupational disability benefits.

Part Two (Employers' Liability Insurance), C. Exclusions, exclusion 8, does not apply to work subject to the Longshore and Harbor Workers' Compensation Act.

This coverage does not apply to work subject to the Defense Base Act, the Outer Continental Shelf Lands Act, or the Nonappropriated Fund Instrumentalities Act.

SECTION III

1. SCHEDULE OF COVERED STATES

A. This endorsement only applies in the states listed in this Schedule of Covered States.

B. If a state, shown in Item 3.A. of the Information Page, approves this endorsement after the effective date of this policy, this endorsement will apply to this policy. The coverage will apply in the new state on the effective date of the state approval.

C. Schedule of Covered States:

Countersigned by _____ Authorized Representative

THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.

**DESIGNATED INSURED FOR
COVERED AUTOS LIABILITY COVERAGE**

This endorsement modifies insurance provided under the following:

AUTO DEALERS COVERAGE FORM
BUSINESS AUTO COVERAGE FORM
MOTOR CARRIER COVERAGE FORM

With respect to coverage provided by this endorsement, the provisions of the Coverage Form apply unless modified by this endorsement.

This endorsement identifies person(s) or organization(s) who are "insureds" for Covered Autos Liability Coverage under the Who Is An Insured provision of the Coverage Form. This endorsement does not alter coverage provided in the Coverage Form.

This endorsement changes the policy effective on the inception date of the policy unless another date is indicated below.

<p>Named Insured: Inteconnect Inc.</p> <p>Endorsement Effective Date: 03/21/2018</p>
--

SCHEDULE

<p>Name Of Person(s) Or Organization(s): City of Lincoln, Lancaster County, Lincoln-Lancaster County Public Building Commission</p>
<p>Information required to complete this Schedule, if not shown above, will be shown in the Declarations.</p>

Each person or organization shown in the Schedule is an "insured" for Covered Autos Liability Coverage, but only to the extent that person or organization qualifies as an "insured" under the Who Is An Insured provision contained in Paragraph A.1. of Section II – Covered Autos Liability Coverage in the Business Auto and Motor Carrier Coverage Forms and Paragraph D.2. of Section I – Covered Autos Coverages of the Auto Dealers Coverage Form.

THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.

CANCELLATION NOTICE TO SCHEDULED ADDITIONAL INSURED OR CERTIFICATE HOLDER

This endorsement modifies insurance provided under the following:

- COMMERCIAL GENERAL LIABILITY COVERAGE PART
- PROFESSIONAL LIABILITY COVERAGE PART
- COMMERCIAL CRIME COVERAGE PART
- COMMERCIAL INLAND MARINE COVERAGE PART
- COMMERCIAL PROPERTY COVERAGE PART
- COMMERCIAL AUTOMOBILE COVERAGE PART

SCHEDULE OF ADDITIONAL INSURED OR CERTIFICATE HOLDERS

AI or CH	Additional Insured or Certificate Holder	Address
AI	City of Lincoln, Lancaster County,	
	Lincoln-Lancaster County Public	Building Commission

The following is added to **A. CANCELLATION** of the Common Policy Conditions of the above applicable coverage part:

- A. In the event we cancel the policy in accordance with the policy's terms and conditions, we will endeavor to mail written notice of cancellation to Additional Insureds or Certificate Holders, shown in the above SCHEDULE within the time frame listed below. However, failure to mail such notice shall impose no obligation of any kind upon us, our agents or representatives.
 1. 30 days before the effective date of cancellation if we cancel for any reason other than for non - payment of premium.

As respects Additional Insureds, the above cancellation provision applies only when the Additional Insured shown in the above **SCHEDULE** is added to the policy by a separate additional insured endorsement as the **CANCELLATION NOTICE TO ADDITIONAL INSURED OR CERTIFICATE HOLDER** does not provide additional insured coverage.